

**Main Data Record**

NOTE: SAS label appears in caps, while the actual question from the questionnaire appears in lower case. These data are found in SAS data set v1main.xXX, where XX = most updated SAS export file extension number.

Var Name	Len	Label	Comments
<b>SECTION A: INFANT HEALTH AND FEEDING</b>			
V1A1A	2	MONTH BABY HOME FROM HOSPITAL  QUESTION: A1. When did your baby first come home from the hospital?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1A1B and V1A1C should be used to construct date brought baby home
V1A1B	2	DAY BABY HOME FROM HOSPITAL  QUESTION: A1. When did your baby first come home from the hospital?	Between 1 and 31 32 = beginning of the month 33 = middle of the month 34 = end of the month 35 = 1 <sup>st</sup> week of the month 36 = 2 <sup>nd</sup> week of the month 37 = 3 <sup>rd</sup> week of the month 38 = 4 <sup>th</sup> /last week of the month
V1A1C	4	YEAR BABY HOME FROM HOSPITAL  QUESTION: A1. When did your baby first come home from the hospital?	Between 2002 and 2007
V1A2	1	BABY WEIGHED SINCE BORN  QUESTION: A2. Has your baby been weighed at the doctor's office or clinic since he/she has been born?	0 = no → V1A5 1 = yes
V1A2A	1	KNOW DATE MOST RECENT DR VISIT  QUESTION: A2a. Do you know the date of the most recent visit to the doctor's office or clinic?	0 = no → V1A2B 1 = yes  NOTE: this variable is skipped if V1A2 = 0 (baby has not been weighed)

PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1A2A1	2	MONTH OF MOST RECENT DR VISIT  QUESTION: A2a. Do you know the date of the most recent visit to the doctor's office or clinic?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable is skipped if either V1A2 = 0 OR V1A2A = 0  NOTE: this variable along with V1A2A2 and V1A2A3 should be used to construct the date of most recent Dr's visit
V1A2A2	2	DAY OF MOST RECENT DR VISIT  QUESTION: A2a. Do you know the date of the most recent visit to the doctor's office or clinic?	Between 1 and 31 32 = beginning of the month 33 = middle of the month 34 = end of the month 35 = 1 <sup>st</sup> week of the month 36 = 2 <sup>nd</sup> week of the month 37 = 3 <sup>rd</sup> week of the month 38 = 4 <sup>th</sup> /last week of the month  NOTE: this variable is skipped if either V1A2 = 0 OR V1A2A = 0
V1A2A3	4	YEAR OF MOST RECENT DR VISIT  QUESTION: A2a. Do you know the date of the most recent visit to the doctor's office or clinic?	Between 2002 and 2007  NOTE: this variable is skipped if either V1A2 = 0 OR V1A2A = 0  NOTE: if she provided date of most recent Dr's visit → V1A3A
V1A2B	4	AGE IN MONTHS WHEN LAST SEEN BY DR  QUESTION: A2b. How old was your baby the last time they were seen at the doctor's office, clinic or hospital?	Between .10 and 5.00  NOTE: interviewer instructed to use decimal point to denote partial months  NOTE: this variable is skipped if either V1A2 = 0 or V1A2A = 1
V1A3A	2	# POUNDS BABY WEIGHED AT LAST VISIT  QUESTION: A3. How much did your baby weigh on that day?	Between 1 and 25  NOTE: this variable is skipped if V1A2 = 0
V1A3B	2	# OUNCES BABY WEIGHED AT LAST VISIT  QUESTION: A3. How much did your baby weigh on that day?	Between 0 and 15  NOTE: this variable is skipped if V1A2 = 0

PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1A4A	6	# INCHES BABY MEASURED AT LAST VISIT  QUESTION: A4a. What was the baby's length in inches on that day?	Between 7.000 and 30.000 → V1A5 40 = baby wasn't measured for length that day  NOTE: this variable should be reported to closest 1/8 inch  NOTE: this variable is skipped if V1A2 = 0
V1A4B1	2	MONTH BABY LAST MEASURED FOR LENGTH  QUESTION: A4b. What was the date on which the baby was last measured for length?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 92 = this variable not yet added to interview  NOTE: if value other than 92 found in variable prior to 8 April 2003 date, it is because the interviewer wrote the date on questionnaire prior to question being added  NOTE: this variable along with V1A4B2 and V1A4B3 should be used to construct date baby last measured  NOTE: this variable is skipped if V1A2 = 0 OR if V1A4A has value < 40  <i>This variable added 8 April 2003</i>
V1A4B2	2	DAY BABY LAST MEASURED FOR LENGTH  QUESTION: A4b. What was the date on which the baby was last measured for length?	Between 1 and 31 32 = beginning of the month 33 = middle of the month 34 = end of the month 35 = 1 <sup>st</sup> week of the month 36 = 2 <sup>nd</sup> week of the month 37 = 3 <sup>rd</sup> week of the month 38 = 4 <sup>th</sup> /last week of the month 92 = this variable not yet added to interview  NOTE: if value other than 92 found in variable prior to 8 April 2003 date, it is because the interviewer wrote the date on questionnaire prior to question being added  NOTE: this variable is skipped if V1A2 = 0 OR if V1A4A has value < 40  <i>This variable added 8 April 2003</i>

PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1A4B3	4	<p>YEAR BABY LAST MEASURED FOR LENGTH</p> <p>QUESTION: A4b. What was the date on which the baby was last measured for length?</p>	<p>Between 2002 and 2007 9992 = this variable not yet added to interview</p> <p>NOTE: if value other than 9992 found in variable prior to 8 April 2003 date, it is because the interviewer wrote the date on questionnaire prior to question being added</p> <p>NOTE: this variable is skipped if V1A2 = 0 OR if V1A4A has value &lt; 40</p> <p><i>This variable added 8 April 2003</i></p>
V1A4C1	6	<p># INCHES WHEN BABY LAST MEASURED FOR LEN</p> <p>QUESTION: A4c. What was your baby's length on that day?</p>	<p>Between 6.000 and 30.000 92 = this variable not yet added to interview</p> <p>NOTE: if value other than 92 found in variable prior to 8 April 2003 date, it is because the interviewer wrote the length on questionnaire prior to question being added</p> <p>NOTE: this variable should be reported to closest 1/8 inch</p> <p>NOTE: this variable is skipped if V1A2 = 0 OR if V1A4A has value &lt; 40</p> <p><i>This variable added 8 April 2003</i></p>
V1A4C2A	2	<p># POUNDS WHEN BABY LAST MEASURED FOR LEN</p> <p>QUESTION: A4c. What was your baby's weight on that day?</p>	<p>Between 1 and 25 92 = this variable not yet added to interview</p> <p>NOTE: if value other than 92 found in variable prior to 8 April 2003 date, it is because the interviewer wrote the weight on questionnaire prior to question being added</p> <p>NOTE: this variable is skipped if V1A2 = 0 OR if V1A4A has value &lt; 40</p> <p><i>This variable added 8 April 2003</i></p>

Var Name	Len	Label	Comments
V1A4C2B	2	# OUNCES WHEN BABY LAST MEASURED FOR LEN  QUESTION: A4c. What was your baby's weight on that day?	Between 0 and 15 92 = this variable not yet added to interview  NOTE: if value other than 92 found in variable prior to 8 April 2003 date, it is because the interviewer wrote the weight on questionnaire prior to question being added  NOTE: this variable is skipped if V1A2 = 0 OR if V1A4A has value < 40  <i>This variable added 8 April 2003</i>
V1A5	1	WHILE PREG, HOW PLAN TO FEED BABY?  QUESTION: A5. While you were still pregnant, what method had you planned to use to feed your baby?	1 = bottle 2 = breast 3 = both bottle and breast 4 = hadn't decided while still pregnant
V1A6	1	EVER BREASTFEED?  QUESTION: A6. Did you ever breastfeed your baby?	0 = no → V1A9B1 1 = yes
V1A7	1	STILL BREASTFEEDING?  QUESTION: A7. Are you still breastfeeding your baby?	0 = no 1 = yes → V1A9A1  NOTE: this variable is skipped if V1A6 = 0
V1A8A	6	AGE OF BABY WHEN STOPPED BREASTFEEDING  QUESTION: A8. How old was your baby when you stopped breastfeeding?	Between 0.10 and 155.00  NOTE: this variable is skipped if V1A6 = 0 OR V1A7 = 0
V1A8B	1	AGE STOP BREASTFEED REPORT IN DAY/WK/MON  QUESTION: A8. How old was your baby when you stopped breastfeeding?	1 = days 2 = weeks 3 = months  NOTE: this variable is skipped if V1A6 = 0 OR V1A7 = 0
V1A9A1	2	# TIMES X DAY BREASTFEED BIRTH TO 4 WKS  QUESTION: A9a. How many times a day (24 hours) was your baby breastfed (including expressed milk and donated breast milk) from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month  NOTE: this variable is skipped if V1A6 = 0

PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1A9A2	2	# TIMES X DAY BREASTFEED 1 MONTH OLD  QUESTION: A9a. How many times a day (24 hours) was your baby breastfed (including expressed milk and donated breast milk) while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month  NOTE: this variable is skipped if V1A6 = 0
V1A9A3	2	# TIMES X DAY BREASTFEED 2 MONTHS OLD  QUESTION: A9a. How many times a day (24 hours) was your baby breastfed (including expressed milk and donated breast milk) while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month  NOTE: this variable is skipped if V1A6 = 0
V1A9A4	2	# TIMES X DAY BREASTFEED 3 MONTHS OLD  QUESTION: A9a. How many times a day (24 hours) was your baby breastfed (including expressed milk and donated breast milk) while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if V1A6 = 0  <i>This variable added 19 May 2003</i>
V1A9A5	2	# TIMES X DAY BREASTFEED 4 MONTHS OLD  QUESTION: A9a. How many times a day (24 hours) was your baby breastfed (including expressed milk and donated breast milk) while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if V1A6 = 0 OR interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A9B1	2	# TIMES X DAY FORMULA BIRTH TO 4 WKS  QUESTION: A9b. How many times a day (24 hours) was your baby fed infant formula from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month

PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1A9B2	2	# TIMES X DAY FORMULA 1 MONTH OLD  QUESTION: A9b. How many times a day (24 hours) was your baby fed infant formula while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9B3	2	# TIMES X DAY FORMULA 2 MONTHS OLD  QUESTION: A9b. How many times a day (24 hours) was your baby fed infant formula while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9B4	2	# TIMES X DAY FORMULA 3 MONTHS OLD  QUESTION: A9b. How many times a day (24 hours) was your baby fed infant formula while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  <i>This variable added 19 May 2003</i>
V1A9B5	2	# TIMES X DAY FORMULA 4 MONTHS OLD  QUESTION: A9b. How many times a day (24 hours) was your baby fed infant formula while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A9C1	2	# TIMES X DAY COW MILK BIRTH TO 4 WKS  QUESTION: A9c. How many times a day (24 hours) was your baby fed cow's milk from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month

PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1A9C2	2	# TIMES X DAY COW MILK 1 MONTH OLD  QUESTION: A9c. How many times a day (24 hours) was your baby fed cow's milk while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9C3	2	# TIMES X DAY COW MILK 2 MONTHS OLD  QUESTION: A9c. How many times a day (24 hours) was your baby fed cow's milk while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9C4	2	# TIMES X DAY COW MILK 3 MONTHS OLD  QUESTION: A9c. How many times a day (24 hours) was your baby fed cow's milk while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  <i>This variable added 19 May 2003</i>
V1A9C5	2	# TIMES X DAY COW MILK 4 MONTHS OLD  QUESTION: A9c. How many times a day (24 hours) was your baby fed cow's milk while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A9D1	2	# TIMES X DAY SOY MILK BIRTH TO 4 WKS  QUESTION: A9d. How many times a day (24 hours) was your baby fed soy milk from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month



PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1A9D2	2	# TIMES X DAY SOY MILK 1 MONTH OLD  QUESTION: A9d. How many times a day (24 hours) was your baby fed soy milk while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9D3	2	# TIMES X DAY SOY MILK 2 MONTHS OLD  QUESTION: A9d. How many times a day (24 hours) was your baby fed soy milk while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9D4	2	# TIMES X DAY SOY MILK 3 MONTHS OLD  QUESTION: A9d. How many times a day (24 hours) was your baby fed soy milk while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  <i>This variable added 19 May 2003</i>
V1A9D5	2	# TIMES X DAY SOY MILK 4 MONTHS OLD  QUESTION: A9d. How many times a day (24 hours) was your baby fed soy milk while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A9E1	2	# TIMES X DAY CEREAL BIRTH TO 4 WKS  QUESTION: A9e. How many times a day (24 hours) was your baby fed cereal from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9E2	2	# TIMES X DAY CEREAL 1 MONTH OLD  QUESTION: A9e. How many times a day (24 hours) was your baby fed cereal while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month

Var Name	Len	Label	Comments
V1A9E3	2	# TIMES X DAY CEREAL 2 MONTHS OLD  QUESTION: A9e. How many times a day (24 hours) was your baby fed cereal while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9E4	2	# TIMES X DAY CEREAL 3 MONTHS OLD  QUESTION: A9e. How many times a day (24 hours) was your baby fed cereal while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  <i>This variable added 19 May 2003</i>
V1A9E5	2	# TIMES X DAY CEREAL 4 MONTHS OLD  QUESTION: A9e. How many times a day (24 hours) was your baby fed cereal while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A9F1	2	# TIMES X DAY TEA BIRTH TO 4 WKS  QUESTION: A9f. How many times a day (24 hours) was your baby fed tea from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9F2	2	# TIMES X DAY TEA 1 MONTH OLD  QUESTION: A9f. How many times a day (24 hours) was your baby fed tea while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9F3	2	# TIMES X DAY TEA 2 MONTHS OLD  QUESTION: A9f. How many times a day (24 hours) was your baby fed tea while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month

Var Name	Len	Label	Comments
V1A9F4	2	# TIMES X DAY TEA 3 MONTHS OLD  QUESTION: A9f. How many times a day (24 hours) was your baby fed tea while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  <i>This variable added 19 May 2003</i>
V1A9F5	2	# TIMES X DAY TEA 4 MONTHS OLD  QUESTION: A9f. How many times a day (24 hours) was your baby fed tea while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A9G1	2	# TIMES X DAY JUICE BIRTH TO 4 WKS  QUESTION: A9g. How many times a day (24 hours) was your baby fed juice (with or without vitamin C) from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9G2	2	# TIMES X DAY JUICE 1 MONTH OLD  QUESTION: A9g. How many times a day (24 hours) was your baby fed juice (with or without vitamin C) while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9G3	2	# TIMES X DAY JUICE 2 MONTHS OLD  QUESTION: A9g. How many times a day (24 hours) was your baby fed juice (with or without vitamin C) while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month

Var Name	Len	Label	Comments
V1A9G4	2	# TIMES X DAY JUICE 3 MONTHS OLD  QUESTION: A9g. How many times a day (24 hours) was your baby fed juice (with or without vitamin C) while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  <i>This variable added 19 May 2003</i>
V1A9G5	2	# TIMES X DAY JUICE 4 MONTHS OLD  QUESTION: A9g. How many times a day (24 hours) was your baby fed juice (with or without vitamin C) while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A9H1	2	# TIMES X DAY FRUIT/VEG BIRTH TO 4 WKS  QUESTION: A9h. How many times a day (24 hours) was your baby fed fruits or vegetables (strained, mashed, etc.) from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9H2	2	# TIMES X DAY FRUIT/VEG 1 MONTH OLD  QUESTION: A9h. How many times a day (24 hours) was your baby fed fruits or vegetables (strained, mashed, etc.) while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9H3	2	# TIMES X DAY FRUIT/VEG 2 MONTHS OLD  QUESTION: A9h. How many times a day (24 hours) was your baby fed fruits or vegetables (strained, mashed, etc.) while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month

Var Name	Len	Label	Comments
V1A9H4	2	# TIMES X DAY FRUIT/VEG 3 MONTHS OLD  QUESTION: A9h. How many times a day (24 hours) was your baby fed fruits or vegetables (strained, mashed, etc.) while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  <i>This variable added 19 May 2003</i>
V1A9H5	2	# TIMES X DAY FRUIT/VEG 4 MONTHS OLD  QUESTION: A9h. How many times a day (24 hours) was your baby fed fruits or vegetables (strained, mashed, etc.) while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A9I1	2	# TIMES X DAY MEAT BIRTH TO 4 WKS  QUESTION: A9i. How many times a day (24 hours) was your baby fed meats (strained, mashed, etc.) from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9I2	2	# TIMES X DAY MEAT 1 MONTH OLD  QUESTION: A9i. How many times a day (24 hours) was your baby fed meat (strained, mashed, etc.) while your baby was 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	Between 0 and 20 90 = baby was not at home with her during that month
V1A9I3	2	# TIMES X DAY MEAT 2 MONTHS OLD  QUESTION: A9i. How many times a day (24 hours) was your baby fed meat (strained, mashed, etc.) while your baby was 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	Between 0 and 20 90 = baby was not at home with her during that month

Var Name	Len	Label	Comments
V1A9I4	2	# TIMES X DAY MEAT 3 MONTHS OLD  QUESTION: A9i. How many times a day (24 hours) was your baby fed meat (strained, mashed, etc.) while your baby was 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  <i>This variable added 19 May 2003</i>
V1A9I5	2	# TIMES X DAY MEAT 4 MONTHS OLD  QUESTION: A9i. How many times a day (24 hours) was your baby fed meat (strained, mashed, etc.) while your baby was 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	Between 0 and 20 90 = baby was not at home with her during that month 92 = this variable not yet added to interview  NOTE: this variable is skipped if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A12A01	2	1 <sup>ST</sup> FORMULA BIRTH TO 4 WKS  QUESTION: A12. Which infant formula was your baby fed most often from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable along with V1A12A02 and V1A12A03 represent formulae given to baby birth to 4 wks, since she can choose up to three  NOTE: this variable is skipped if she doesn't feed her child formula birth to 4 wks

Var Name	Len	Label	Comments
V1A12A02	2	2 <sup>ND</sup> FORMULA BIRTH TO 4 WKS  QUESTION: A12. Which infant formula was your baby fed most often from birth to 4 weeks of age, that is from VIPRE3A V1PRE3B to V1PRE3C V1PRE3D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable is skipped if she doesn't feed her child formula birth to 4 wks OR if she only feeds child 1 type of formula
V1A12A03	2	3 <sup>RD</sup> FORMULA BIRTH TO 4 WKS  QUESTION: A12. Which infant formula was your baby fed most often from birth to 4 weeks of age, that is from VIPRE3A V1PRE3B to V1PRE3C V1PRE3D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable is skipped if she doesn't feed her child formula birth to 4 wks OR if she only feeds child 2 types of formula

Var Name	Len	Label	Comments
V1A12AT	100, Text	OTHER FORMULA BIRTH TO 4 WKS  QUESTION: A12. Which infant formula was your baby fed most often from birth to 4 weeks of age, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?  Text for “other” response	NOTE: this variable is skipped if she doesn't feed her child formula birth to 4 wks OR if V1A12A01, V1A12A02, and V1A12A03 all do not contain the value 21 (other)
V1A12B01	2	1 <sup>ST</sup> FORMULA 1 MONTH OLD  QUESTION: A12. Which infant formula was your baby fed most often while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable along with V1A12B02 and V1A12B03 represent formulae given to baby while 1 month old, since she can choose up to three  NOTE: this variable is skipped if she doesn't feed her child formula while child is 1 month old



Var Name	Len	Label	Comments
V1A12B02	2	2 <sup>ND</sup> FORMULA 1 MONTH OLD  QUESTION: A12. Which infant formula was your baby fed most often while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable is skipped if she doesn't feed her child formula while child is 1 month old OR if she only feeds child 1 type of formula
V1A12B03	2	3 <sup>RD</sup> FORMULA 1 MONTH OLD  QUESTION: A12. Which infant formula was your baby fed most often while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable is skipped if she doesn't feed her child formula while child is 1 month old OR if she only feeds child 2 types of formula

Var Name	Len	Label	Comments
V1A12BT	100, Text	OTHER FORMULA 1 MONTH OLD  A12. Which infant formula was your baby fed most often while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?  Text for "other" response	NOTE: this variable is skipped if she doesn't feed her child formula 1 month old OR if V1A12B01, V1A12B02, and V1A12B03 all do not contain the value 21 (other)
V1A12C01	2	1 <sup>ST</sup> FORMULA 2 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable along with V1A12C02 and V1A12C03 represent formulae given to baby while 2 month old, since she can choose up to three  NOTE: this variable is skipped if she doesn't feed her child formula while child is 2 months old

Var Name	Len	Label	Comments
V1A12C02	2	2 <sup>ND</sup> FORMULA 2 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable is skipped if she doesn't feed her child formula while child is 2 months old OR if she only feeds child 1 type of formula
V1A12C03	2	3 <sup>RD</sup> FORMULA 2 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other  NOTE: this variable is skipped if she doesn't feed her child formula while child is 2 months old OR if she only feeds child 2 types of formula

Var Name	Len	Label	Comments
V1A12CT	100, Text	OTHER FORMULA 2 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?  Text for "other" response	NOTE: this variable is skipped if she doesn't feed her child formula 2 months old OR if V1A12C01, V1A12C02, and V1A12C03 all do not contain the value 21 (other)
V1A12D01	2	1 <sup>ST</sup> FORMULA 3 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	<p>1 = Enfamil low iron                  2 = Enfamil with iron or Lipil (DHA)                  3 = Enfamil Lactose Free                  4 = ProSobee                  5 = Nutramigen                  6 = Similac with iron                  7 = Similac Isomil                  8 = Similac lactose free                  9 = Similac 2 (older infants)                  10 = Alimentum (from Similac)                  11 = Similac Neosure                  12 = Similac Advance                  13 = Isomil 2                  14 = Carnation Good Start                  15 = Carnation follow up                  16 = Carnation follow up soy                  17 = Generic formula with iron                  18 = Generic formula without iron                  19 = Enfamil Lipil with iron                  20 = Enfamil Lactose Free with Lipil                  21 = other                  92 = this variable not yet added to interview</p> <p>NOTE: this variable along with V1A12D02 and V1A12D03 represent formulae given to baby while 3 month old, since she can choose up to three</p> <p>NOTE: this variable is skipped if she doesn't feed her child formula while child is 3 months old</p> <p><i>This variable added 19 May 2003</i></p>

Var Name	Len	Label	Comments
V1A12D02	2	2 <sup>ND</sup> FORMULA 3 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	<p>1 = Enfamil low iron  2 = Enfamil with iron or Lipil (DHA)  3 = Enfamil Lactose Free  4 = ProSobee  5 = Nutramigen  6 = Similac with iron  7 = Similac Isomil  8 = Similac lactose free  9 = Similac 2 (older infants)  10 = Alimentum (from Similac)  11 = Similac Neosure  12 = Similac Advance  13 = Isomil 2  14 = Carnation Good Start  15 = Carnation follow up  16 = Carnation follow up soy  17 = Generic formula with iron  18 = Generic formula without iron  19 = Enfamil Lipil with iron  20 = Enfamil Lactose Free with Lipil  21 = other  92 = this variable not yet added to interview</p> <p>NOTE: this variable is skipped if she doesn't feed her child formula while child is 3 months old OR if she only feeds child 1 type of formula</p> <p><i>This variable added 19 May 2003</i></p>

Var Name	Len	Label	Comments
V1A12D03	2	3 <sup>RD</sup> FORMULA 3 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other 92 = this variable not yet added to interview  NOTE: this variable is skipped if she doesn't feed her child formula while child is 3 months old OR if she only feeds child 1 type of formula  <i>This variable added 19 May 2003</i>
V1A12DT	100, Text	OTHER FORMULA 3 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?  Text for "other" response	92 = this variable not yet added to interview  NOTE: this variable is skipped if she doesn't feed her child formula 3 months old OR if V1A12D01, V1A12D02, and V1A12D03 all do not contain the value 21 (other)  <i>This variable added 19 May 2003</i>

Var Name	Len	Label	Comments
V1A12E01	2	1 <sup>ST</sup> FORMULA 4 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	1 = Enfamil low iron 2 = Enfamil with iron or Lipil (DHA) 3 = Enfamil Lactose Free 4 = ProSobee 5 = Nutramigen 6 = Similac with iron 7 = Similac Isomil 8 = Similac lactose free 9 = Similac 2 (older infants) 10 = Alimentum (from Similac) 11 = Similac Neosure 12 = Similac Advance 13 = Isomil 2 14 = Carnation Good Start 15 = Carnation follow up 16 = Carnation follow up soy 17 = Generic formula with iron 18 = Generic formula without iron 19 = Enfamil Lipil with iron 20 = Enfamil Lactose Free with Lipil 21 = other 92 = this variable not yet added to interview  NOTE: this variable along with V1A12E02 and V1A12E03 represent formulae given to baby while 4 month old, since she can choose up to three  NOTE: this variable is skipped if she doesn't feed her child formula while child is 4 months old OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>

Var Name	Len	Label	Comments
V1A12E02	2	2 <sup>ND</sup> FORMULA 4 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	<p>1 = Enfamil low iron  2 = Enfamil with iron or Lipil (DHA)  3 = Enfamil Lactose Free  4 = ProSobee  5 = Nutramigen  6 = Similac with iron  7 = Similac Isomil  8 = Similac lactose free  9 = Similac 2 (older infants)  10 = Alimentum (from Similac)  11 = Similac Neosure  12 = Similac Advance  13 = Isomil 2  14 = Carnation Good Start  15 = Carnation follow up  16 = Carnation follow up soy  17 = Generic formula with iron  18 = Generic formula without iron  19 = Enfamil Lipil with iron  20 = Enfamil Lactose Free with Lipil  21 = other  92 = this variable not yet added to interview</p> <p>NOTE: this variable is skipped if she doesn't feed her child formula while child is 4 months old OR if interview conducted prior to 4 months of age OR if she only feeds child 1 type of formula</p> <p><i>This variable added 19 May 2003</i></p>



Var Name	Len	Label	Comments
V1A12E03	2	3 <sup>RD</sup> FORMULA 4 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	<p>1 = Enfamil low iron                      2 = Enfamil with iron or Lipil (DHA)                      3 = Enfamil Lactose Free                      4 = ProSobee                      5 = Nutramigen                      6 = Similac with iron                      7 = Similac Isomil                      8 = Similac lactose free                      9 = Similac 2 (older infants)                      10 = Alimentum (from Similac)                      11 = Similac Neosure                      12 = Similac Advance                      13 = Isomil 2                      14 = Carnation Good Start                      15 = Carnation follow up                      16 = Carnation follow up soy                      17 = Generic formula with iron                      18 = Generic formula without iron                      19 = Enfamil Lipil with iron                      20 = Enfamil Lactose Free with Lipil                      21 = other                      92 = this variable not yet added to interview</p> <p>NOTE: this variable is skipped if she doesn't feed her child formula while child is 4 months old OR if interview conducted prior to 4 months of age OR if she only feeds child 2 types of formula</p> <p><i>This variable added 19 May 2003</i></p>
V1A12ET	100, Text	OTHER FORMULA 4 MONTHS OLD  QUESTION: A12. Which infant formula was your baby fed most often while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?  Text for "other" response	<p>92 = this variable not yet added to interview</p> <p>NOTE: this variable is skipped if she doesn't feed her child formula 3 months old OR if V1A12E01, V1A12E02, and V1A12E03 all do not contain the value 21 (other)</p> <p><i>This variable added 19 May 2003</i></p>
V1A13A1	1	1 <sup>ST</sup> TYPE OF FORMULA BIRTH TO 4 WKS  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	<p>1 = ready-to-feed                      2 = liquid concentrate                      3 = powdered concentrate</p> <p>NOTE: this variable along with V1A13A2 and V1A13A3 represent the types of formulae fed to the child</p> <p>NOTE: this variable DOES NOT tie to a specific formula, if more than one listed</p> <p>NOTE: this variable is skipped if she doesn't feed her child formula birth to 4 wks</p>

Var Name	Len	Label	Comments
VIA13A2	1	2 <sup>ND</sup> TYPE OF FORMULA BIRTH TO 4 WKS  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula birth to 4 wks OR if she only used one type of formula
VIA13A3	1	3 <sup>RD</sup> TYPE OF FORMULA BIRTH TO 4 WKS  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula birth to 4 wks OR if she only used two types of formula
VIA13B1	1	1 <sup>ST</sup> TYPE OF FORMULA 1 MONTH OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate  NOTE: this variable along with VIA13B2 and VIA13B3 represent the types of formulae fed to the child  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 1 month old
VIA13B2	1	2 <sup>ND</sup> TYPE OF FORMULA 1 MONTH OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 1 month old OR if she only used one type of formula
VIA13B3	1	3 <sup>RD</sup> TYPE OF FORMULA 1 MONTH OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 1 month old OR if she only used two types of formula

Var Name	Len	Label	Comments
VIA13C1	1	1 <sup>ST</sup> TYPE OF FORMULA 2 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate  NOTE: this variable along with VIA13C2 and VIA13C3 represent the types of formulae fed to the child  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 2 months old
VIA13C2	1	2 <sup>ND</sup> TYPE OF FORMULA 2 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 2 months old OR if she only used one type of formula
VIA13C3	1	3 <sup>RD</sup> TYPE OF FORMULA 2 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 2 months old OR if she only used two types of formula
VIA13D1	2	1 <sup>ST</sup> TYPE OF FORMULA 3 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate 92 = this variable not yet added to interview  NOTE: this variable along with VIA13D2 and VIA13D3 represent the types of formulae fed to the child  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 3 months old  <i>This variable added 19 May 2003</i>

Var Name	Len	Label	Comments
V1A13D2	2	2 <sup>ND</sup> TYPE OF FORMULA 3 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate 92 = this variable not yet added to interview  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 3 months old OR if she only used one type of formula  <i>This variable added 19 May 2003</i>
V1A13D3	2	3 <sup>RD</sup> TYPE OF FORMULA 3 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate 92 = this variable not yet added to interview  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 3 months old OR if she only used two types of formula  <i>This variable added 19 May 2003</i>
V1A13E1	2	1 <sup>ST</sup> TYPE OF FORMULA 4 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate 92 = this variable not yet added to interview  NOTE: this variable along with V1A13E2 and V1A13E3 represent the types of formulae fed to the child  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 4 months old OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>

Var Name	Len	Label	Comments
V1A13E2	2	2 <sup>ND</sup> TYPE OF FORMULA 4 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate 92 = this variable not yet added to interview  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 4 months old OR if interview conducted prior to 4 months of age OR if she only used one type of formula  <i>This variable added 19 May 2003</i>
V1A13E3	2	3 <sup>RD</sup> TYPE OF FORMULA 4 MONTHS OLD  QUESTION: A13. Was this formula: ready-to-feed, liquid concentrate, or powdered concentrate?	1 = ready-to-feed 2 = liquid concentrate 3 = powdered concentrate 92 = this variable not yet added to interview  NOTE: this variable DOES NOT tie to a specific formula, if more than one listed  NOTE: this variable is skipped if she doesn't feed her child formula 4 months old OR if interview conducted prior to 4 months of age OR if she only used two types of formula  <i>This variable added 19 May 2003</i>
V1A13F	1	CHILD TAKING MULTIVIT/MIN SUPP  QUESTION: A13f. Is your child taking a multi-vitamin/mineral supplement?	0 = no → V1A13H 1 = yes  <i>This variable added 16 September 2003</i>
V1A13G	200, Text	TYPE OF MULTIVIT/MIN SUPP  QUESTION: A13g. What kind is it?	NOTE: this variable skipped if V1A13F = 0  <i>This variable added 16 September 2003</i>
V1A13H	1	CHILD TAKING SINGLE VIT/MIN SUPP  QUESTION: A13h. Is your child taking a single vitamin/mineral supplement?	0 = no → V1A14A1 1 = yes  <i>This variable added 16 September 2003</i>

Var Name	Len	Label	Comments
V1A13I	1	TYPE OF SINGLE VIT/MIN SUPPLEMENT  QUESTION: A13i. Is the vitamin/mineral supplement fluoride, iron, vitamin D, or something else?	1 = fluoride 2 = iron 3 = vitamin D 4 = other  if V1A13I ≠ 4 → V1A14A1  NOTE: this variable skipped if V1A13H = 0  <i>This variable added 16 September 2003</i>
V1A13T	100, Text	TEXT SINGLE VIT/MIN SUPPLEMENT  QUESTION: A13i. Is the vitamin/mineral supplement fluoride, iron, vitamin D, or something else? Text for "other" response	NOTE: this variable skipped if V1A13H = 0 OR if V1A13I ≠ 4  <i>This variable added 16 September 2003</i>
V1A14A1	1	BABY EVER HAD FEVER?  QUESTION: A14a. Did your baby ever have a fever?	0 = no → V1A14B1 1 = yes
V1A14A2	1	BABY HAD FEVER BIRTH TO 4 WKS  QUESTION: A14a. Did your baby have a fever from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14A1 = 0
V1A14A3	1	BABY HAD FEVER 1 MONTH OLD  QUESTION: A14a. Did your baby have a fever while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14A1 = 0
V1A14A4	1	BABY HAD FEVER 2 MONTHS OLD  QUESTION: A14a. Did your baby have a fever while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14A1 = 0
V1A14A5	2	BABY HAD FEVER 3 MONTHS OLD  QUESTION: A14a. Did your baby have a fever while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14A1 = 0  <i>This variable added 19 May 2003</i>

Var Name	Len	Label	Comments
V1A14A6	2	BABY HAD FEVER 4 MONTHS OLD  QUESTION: A14a. Did your baby have a fever while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14A1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14B1	1	BABY EVER HAD EAR INFECTION  QUESTION: A14b. Did your baby ever have an ear infection?	0 = no → V1A14C1 1 = yes
V1A14B2	1	BABY HAD EAR INFECTION BIRTH TO 4 WKS  QUESTION: A14b. Did your baby have an ear infection from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14B1 = 0
V1A14B3	1	BABY HAD EAR INFECTION 1 MONTH OLD  QUESTION: A14b. Did your baby have an ear infection while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14B1 = 0
V1A14B4	1	BABY HAD EAR INFECTION 2 MONTHS OLD  QUESTION: A14b. Did your baby have an ear infection while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14B1 = 0
V1A14B5	2	BABY HAD EAR INFECTION 3 MONTHS OLD  QUESTION: A14b. Did your baby have an ear infection while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14B1 = 0  <i>This variable added 19 May 2003</i>

Var Name	Len	Label	Comments
V1A14B6	2	BABY HAD EAR INFECTION 4 MONTHS OLD  QUESTION: A14b. Did your baby have an ear infection while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14B1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14C1	1	BABY EVER HAD EYE INFECTION?  QUESTION: A14c. Did your baby ever have an eye infection?	0 = no → V1A14D1 1 = yes
V1A14C2	1	BABY HAD EYE INFECTION BIRTH TO 4 WKS  QUESTION: A14c. Did your baby have an eye infection from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14C1 = 0
V1A14C3	1	BABY HAD EYE INFECTION 1 MONTH OLD  QUESTION: A14c. Did your baby have an eye infection while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14C1 = 0
V1A14C4	1	BABY HAD EYE INFECTION 2 MONTHS OLD  QUESTION: A14c. Did your baby have an eye infection while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14C1 = 0
V1A14C5	2	BABY HAD EYE INFECTION 3 MONTHS OLD  QUESTION: A14c. Did your baby have an eye infection while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14C1 = 0  <i>This variable added 19 May 2003</i>



Var Name	Len	Label	Comments
V1A14C6	2	BABY HAD EYE INFECTION 4 MONTHS OLD  QUESTION: A14c. Did your baby have an eye infection while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14C1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14D1	1	BABY EVER HAD COLIC?  QUESTION: A14d. Did your baby ever have colic?	0 = no → V1A14E1 1 = yes
V1A14D2	1	BABY HAD COLIC BIRTH TO 4 WKS  QUESTION: A14d. Did your baby have colic from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14D1 = 0
V1A14D3	1	BABY HAD COLIC 1 MONTH OLD  QUESTION: A14d. Did your baby have colic while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14D1 = 0
V1A14D4	1	BABY HAD COLIC 2 MONTHS OLD  QUESTION: A14d. Did your baby have colic while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14D1 = 0
V1A14D5	2	BABY HAD COLIC 3 MONTHS OLD  QUESTION: A14d. Did your baby have colic while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14D1 = 0  <i>This variable added 19 May 2003</i>
V1A14D6	2	BABY HAD COLIC 4 MONTHS OLD  QUESTION: A14d. Did your baby have colic while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14D1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>

Var Name	Len	Label	Comments
V1A14E1	1	BABY EVER HAD RUNNY NOSE/COLD?  QUESTION: A14e. Did your baby ever have a runny nose or cold?	0 = no → V1A14F1 1 = yes
V1A14E2	1	BABY HAD RUNNY NOSE/COLD BIRTH TO 4 WKS  QUESTION: A14e. Did your baby have a runny nose or cold from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14E1 = 0
V1A14E3	1	BABY HAD RUNNY NOSE/COLD 1 MONTH OLD  QUESTION: A14e. Did your baby have a runny nose or cold while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14E1 = 0
V1A14E4	1	BABY HAD RUNNY NOSE/COLD 2 MONTHS OLD  QUESTION: A14e. Did your baby have a runny nose or cold while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14E1 = 0
V1A14E5	2	BABY HAD RUNNY NOSE/COLD 3 MONTHS OLD  QUESTION: A14e. Did your baby have a runny nose or cold while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14E1 = 0  <i>This variable added 19 May 2003</i>
V1A14E6	2	BABY HAD RUNNY NOSE/COLD 4 MONTHS OLD  QUESTION: A14e. Did your baby have a runny nose or cold while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14E1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>

Var Name	Len	Label	Comments
V1A14F1	1	BABY EVER HAD COUGH/WHEEZE?  QUESTION: A14f. Did your baby ever have a cough or wheeze?	0 = no → V1A14G1 1 = yes
V1A14F2	1	BABY HAD COUGH/WHEEZE BIRTH TO 4 WKS  QUESTION: A14f. Did your baby have a cough or wheeze from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14F1 = 0
V1A14F3	1	BABY HAD COUGH/WHEEZE 1 MONTH OLD  QUESTION: A14f. Did your baby have a cough or wheeze while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14F1 = 0
V1A14F4	1	BABY HAD COUGH/WHEEZE 2 MONTHS OLD  QUESTION: A14f. Did your baby have a cough or wheeze while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14F1 = 0
V1A14F5	2	BABY HAD COUGH/WHEEZE 3 MONTHS OLD  QUESTION: A14f. Did your baby have a cough or wheeze while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14F1 = 0  <i>This variable added 19 May 2003</i>
V1A14F6	2	BABY HAD COUGH/WHEEZE 4 MONTHS OLD  QUESTION: A14f. Did your baby have a cough or wheeze while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14F1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14G1	1	BABY EVER HAD PNEUMONIA?  QUESTION: A14g. Did your baby ever have pneumonia?	0 = no → V1A14H1 1 = yes

Var Name	Len	Label	Comments
V1A14G2	1	BABY HAD PNEUMONIA BIRTH TO 4 WKS  QUESTION: A14g. Did your baby have pneumonia from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14G1 = 0
V1A14G3	1	BABY HAD PNEUMONIA 1 MONTH OLD  QUESTION: A14g. Did your baby have pneumonia while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14G1 = 0
V1A14G4	1	BABY HAD PNEUMONIA 2 MONTHS OLD  QUESTION: A14g. Did your baby have pneumonia while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14G1 = 0
V1A14G5	2	BABY HAD PNEUMONIA 3 MONTHS OLD  QUESTION: A14g. Did your baby have pneumonia while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14G1 = 0  <i>This variable added 19 May 2003</i>
V1A14G6	2	BABY HAD PNEUMONIA 4 MONTHS OLD  QUESTION: A14g. Did your baby have pneumonia while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14G1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14H1	1	BABY EVER HAD LISTLESS/DROOPY APPEARANCE  QUESTION: A14h. Did your baby ever have a listless or droopy appearance?	0 = no → V1A14I1 1 = yes

Var Name	Len	Label	Comments
V1A14H2	1	BABY LISTLESS/DROOPY BIRTH TO 4 WKS  QUESTION: A14h. Did your baby have a listless or droopy appearance from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14H1 = 0
V1A14H3	1	BABY LISTLESS/DROOPY 1 MONTH OLD  QUESTION: A14h. Did your baby have a listless or droopy appearance while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14H1 = 0
V1A14H4	1	BABY LISTLESS/DROOPY 2 MONTHS OLD  QUESTION: A14h. Did your baby have a listless or droopy appearance while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14H1 = 0
V1A14H5	2	BABY LISTLESS/DROOPY 3 MONTHS OLD  QUESTION: A14h. Did your baby have a listless or droopy appearance while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14H1 = 0  <i>This variable added 19 May 2003</i>
V1A14H6	2	BABY LISTLESS/DROOPY 4 MONTHS OLD  QUESTION: A14h. Did your baby have a listless or droopy appearance while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14H1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14I1	1	BABY EVER HAD SEIZURES/CONVULSIONS?  QUESTION: A14i. Did your baby ever have seizures or convulsions?	0 = no → V1A14J1 1 = yes

Var Name	Len	Label	Comments
V1A14I2	1	BABY HAD SEIZURES BIRTH TO 4 WKS  QUESTION: A14i. Did your baby have seizures or convulsions from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14I1 = 0
V1A14I3	1	BABY HAD SEIZURES 1 MONTH OLD  QUESTION: A14i. Did your baby have seizures or convulsions while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14I1 = 0
V1A14I4	1	BABY HAD SEIZURES 2 MONTHS OLD  QUESTION: A14i. Did your baby have seizures or convulsions while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14I1 = 0
V1A14I5	2	BABY HAD SEIZURES 3 MONTHS OLD  QUESTION: A14i. Did your baby have seizures or convulsions while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14I1 = 0  <i>This variable added 19 May 2003</i>
V1A14I6	2	BABY HAD SEIZURES 4 MONTHS OLD  QUESTION: A14i. Did your baby have seizures or convulsions while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14I1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14J1	1	BABY EVER VOMITED?  QUESTION: A14j. Did your baby ever have vomiting?	0 = no → V1A14K1 1 = yes

Var Name	Len	Label	Comments
V1A14J2	1	BABY VOMITED BIRTH TO 4 WKS  QUESTION: A14j. Did your baby have vomiting from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14J1 = 0
V1A14J3	1	BABY VOMITED 1 MONTH OLD  QUESTION: A14j. Did your baby have vomiting while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14J1 = 0
V1A14J4	1	BABY VOMITED 2 MONTHS OLD  QUESTION: A14j. Did your baby have vomiting while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14J1 = 0
V1A14J5	2	BABY VOMITED 3 MONTHS OLD  QUESTION: A14j. Did your baby have vomiting while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14J1 = 0  <i>This variable added 19 May 2003</i>
V1A14J6	2	BABY VOMITED 4 MONTHS OLD  QUESTION: A14j. Did your baby have vomiting while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14J1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14K1	1	BABY EVER HAD DIARRHEA?  QUESTION: A14k. Did your baby ever have diarrhea?	0 = no → V1A14L1 1 = yes
V1A14K2	1	BABY HAD DIARRHEA BIRTH TO 4 WKS  QUESTION: A14k. Did your baby have diarrhea from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14K1 = 0

Var Name	Len	Label	Comments
V1A14K3	1	BABY HAD DIARRHEA 1 MONTH OLD  QUESTION: A14k. Did your baby have diarrhea while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14K1 = 0
V1A14K4	1	BABY HAD DIARRHEA 2 MONTHS OLD  QUESTION: A14k. Did your baby have diarrhea while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14K1 = 0
V1A14K5	2	BABY HAD DIARRHEA 3 MONTHS OLD  QUESTION: A14k. Did your baby have diarrhea while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14K1 = 0  <i>This variable added 19 May 2003</i>
V1A14K6	2	BABY HAD DIARRHEA 4 MONTHS OLD  A14k. Did your baby have diarrhea while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14K1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14L1	1	BABY EVER HAD INJURY?  QUESTION: A14l. Did your baby ever have an injury from a bad fall or accident?	0 = no → V1A14M1 1 = yes
V1A14L2	1	BABY HAD INJURY BIRTH TO 4 WKS  QUESTION: A14l. Did your baby have an injury from a bad fall or accident from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14L1 = 0



Var Name	Len	Label	Comments
V1A14L3	1	BABY HAD INJURY 1 MONTH OLD  QUESTION: A14l. Did your baby have an injury from a bad fall or accident while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14L1 = 0
V1A14L4	1	BABY HAD INJURY 2 MONTHS OLD  QUESTION: A14l. Did your baby have an injury from a bad fall or accident while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14L1 = 0
V1A14L5	2	BABY HAD INJURY 3 MONTHS OLD  QUESTION: A14l. Did your baby have an injury from a bad fall or accident while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14L1 = 0  <i>This variable added 19 May 2003</i>
V1A14L6	2	BABY HAD INJURY 4 MONTHS OLD  QUESTION: A14l. Did your baby have an injury from a bad fall or accident while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14L1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14M1	1	BABY EVER HAD OTHER PROBLEM?  QUESTION: A14m. Did your baby have any other problems?	0 = no → if version prior to 12 May 2003, skip to V1A16 → if version on or after 12 May 2003, skip to V1A15A 1 = yes
V1A14MT	100, Text	1 <sup>ST</sup> OTHER PROBLEM BABY HAD  QUESTION: A14m. Did your baby have any other problems? Text for “other” response	NOTE: this variable skipped if V1A14M1 = 0
V1A14M2	1	BABY HAD 1 <sup>ST</sup> OTHER PROB BIRTH TO 4 WKS  QUESTION: A14m. Did your baby have V1A14MT from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14M1 = 0

Var Name	Len	Label	Comments
V1A14M3	1	BABY HAD 1 <sup>ST</sup> OTHER PROB 1 MONTH OLD  QUESTION: A14m. Did your baby have V1A14MT while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14M1 = 0
V1A14M4	1	BABY HAD 1 <sup>ST</sup> OTHER PROB 2 MONTHS OLD  QUESTION: A14m. Did your baby have V1A14MT while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14M1 = 0
V1A14M5	2	BABY HAD 1 <sup>ST</sup> OTHER PROB 3 MONTHS OLD  QUESTION: A14m. Did your baby have V1A14MT while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14M1 = 0  <i>This variable added 19 May 2003</i>
V1A14M6	2	BABY HAD 1 <sup>ST</sup> OTHER PROB 4 MONTHS OLD  QUESTION: A14m. Did your baby have V1A14MT while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14M1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A14N1	1	BABY EVER HAD 2 <sup>ND</sup> OTHER PROBLEM?  QUESTION: A14n. Did your baby have any other problems?	0 = no → if version prior to 12 May 2003, skip to V1A16 → if version on or after 12 May 2003, skip to V1A15A 1 = yes  NOTE: this variable skipped if V1A14M1 = 0
V1A14NT	100, Text	2 <sup>ND</sup> OTHER PROBLEM BABY HAD  QUESTION: A14n. Did your baby have any other problems? Text for "other" response	NOTE: this variable skipped if V1A14M1 = 0 OR if V1A14N1 = 0

Var Name	Len	Label	Comments
V1A14N2	1	BABY HAD 2 <sup>ND</sup> OTHER PROB BIRTH TO 4 WKS  QUESTION: A14n. Did your baby have V1A14NT from birth to 4 weeks, that is from V1PRE3A V1PRE3B to V1PRE3C V1PRE3D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14M1 = 0 OR if V1A14N1 = 0
V1A14N3	1	BABY HAD 2 <sup>ND</sup> OTHER PROB 1 MONTH OLD  QUESTION: A14n. Did your baby have V1A14NT while 1 month old, that is from V1PRE4A V1PRE4B to V1PRE4C V1PRE4D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14M1 = 0 OR if V1A14N1 = 0
V1A14N4	1	BABY HAD 2 <sup>ND</sup> OTHER PROB 2 MONTHS OLD  QUESTION: A14n. Did your baby have V1A14NT while 2 months old, that is from V1PRE5A V1PRE5B to V1PRE5C V1PRE5D?	0 = no 1 = yes  NOTE: this variable skipped if V1A14M1 = 0 OR if V1A14N1 = 0
V1A14N5	2	BABY HAD 2 <sup>ND</sup> OTHER PROB 3 MONTHS OLD  QUESTION: A14n. Did your baby have V1A14NT while 3 months old, that is from V1PRE6A V1PRE6B to V1PRE6C V1PRE6D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14M1 = 0 OR if V1A14N1 = 0  <i>This variable added 19 May 2003</i>
V1A14N6	2	BABY HAD 2 <sup>ND</sup> OTHER PROB 4 MONTHS OLD  QUESTION: A14n. Did your baby have V1A14NT while 4 months old, that is from V1PRE7A V1PRE7B to V1PRE7C V1PRE7D?	0 = no 1 = yes 92 = this variable not yet added to interview  NOTE: this variable skipped if V1A14M1 = 0 OR if V1A14N1 = 0 OR if interview conducted prior to 4 months of age  <i>This variable added 19 May 2003</i>
V1A15A	2	TAKEN BABY TO ER SINCE BORN?  QUESTION: A15. Have you taken your child to the Emergency Department at any time since birth? (This does not include urgent care centers or evening hours at a pediatric clinic.)	0 = no → V1A16 1 = yes 92 = this variable not yet added to interview  <i>This variable added 12 May 2003</i>

Var Name	Len	Label	Comments
V1A15_1	2	<p>TOOK TO ER B/C INJURY ACCIDENT</p> <p>QUESTION: A15. For what reasons? Check all that apply. Option: Injury/accident</p>	<p>0 = no 1 = yes 92 = this variable not yet added to interview</p> <p>NOTE: this variable along with V1A15_2, V1A15_3, V1A15_4, V1A15_5, V1A15_6, and V1A15_7 represent all reasons why she took baby to ER, since question is check all that apply</p> <p>NOTE: this variable was constructed in SAS from variables V1A15B1-V1A15B7 that were output by Blaise</p> <p>NOTE: this variable is skipped if V1A15A = 0</p> <p><i>This variable added 12 May 2003</i></p>
V1A15_2	2	<p>TOOK TO ER B/C ILLNESS</p> <p>QUESTION: A15. For what reasons? Check all that apply. Option: Illness (note bronchiolitis/RSV virus)</p>	<p>0 = no 1 = yes 92 = this variable not yet added to interview</p> <p>NOTE: this variable was constructed in SAS from variables V1A15B1-V1A15B7 that were output by Blaise</p> <p>NOTE: this variable is skipped if V1A15A = 0</p> <p><i>This variable added 12 May 2003</i></p>
V1A15_3	2	<p>TOOK TO ER B/C ONGOING MED CONDITION</p> <p>QUESTION: A15. For what reasons? Check all that apply. Option: Ongoing medical condition</p>	<p>0 = no 1 = yes 92 = this variable not yet added to interview</p> <p>NOTE: this variable was constructed in SAS from variables V1A15B1-V1A15B7 that were output by Blaise</p> <p>NOTE: this variable is skipped if V1A15A = 0</p> <p><i>This variable added 12 May 2003</i></p>

Var Name	Len	Label	Comments
V1A15_4	2	<p>TOOK TO ER B/C UNCONSOLABLE/CRYING</p> <p>QUESTION: A15. For what reasons? Check all that apply. Option: Unconsolable/crying</p>	<p>0 = no 1 = yes 92 = this variable not yet added to interview</p> <p>NOTE: this variable was constructed in SAS from variables V1A15B1-V1A15B7 that were output by Blaise</p> <p>NOTE: this variable is skipped if V1A15A = 0</p> <p><i>This variable added 12 May 2003</i></p>
V1A15_5	2	<p>TOOK TO ER B/C ALLERGIC/SUNSTROKE</p> <p>QUESTION: A15. For what reasons? Check all that apply. Option: Allergic reaction/Adverse reaction to medication/Sunstroke or heatstroke</p>	<p>0 = no 1 = yes 92 = this variable not yet added to interview</p> <p>NOTE: this variable was constructed in SAS from variables V1A15B1-V1A15B7 that were output by Blaise</p> <p>NOTE: this variable is skipped if V1A15A = 0</p> <p><i>This variable added 12 May 2003</i></p>
V1A15_6	2	<p>TOOK TO ER B/C RESPIRATORY DISTRESS</p> <p>QUESTION: A15. For what reasons? Check all that apply. Option: Respiratory distress of unknown origin/Lapses in breathing</p>	<p>0 = no 1 = yes 92 = this variable not yet added to interview</p> <p>NOTE: this variable was constructed in SAS from variables V1A15B1-V1A15B7 that were output by Blaise</p> <p>NOTE: this variable is skipped if V1A15A = 0</p> <p><i>This variable added 12 May 2003</i></p>
V1A15_7	2	<p>TOOK TO ER B/C OTHER REASON</p> <p>QUESTION: A15. For what reasons? Check all that apply. Option: Other</p>	<p>0 = no 1 = yes 92 = this variable not yet added to interview</p> <p>NOTE: this variable was constructed in SAS from variables V1A15B1-V1A15B7 that were output by Blaise</p> <p>NOTE: this variable is skipped if V1A15A = 0</p> <p><i>This variable added 12 May 2003</i></p>

Var Name	Len	Label	Comments
V1A15T	100, Text	OTHER REASON TOOK BABY TO ER  QUESTION: A15. For what reasons? Check all that apply.	NOTE: this variable is skipped if V1A15A = 0 OR V1A15_7 = 0  <i>This variable added 12 May 2003</i>
V1A16	1	BABY HOSPITALIZED AFTER DELIVERY?  QUESTION: A16. Was your baby hospitalized after delivery? (This would include any hospitalizations that occurred after your baby came home from the hospital after delivery. This does not include hospitalization of the baby directly from delivery without the baby having been home with you first.)	0 = no → V1A20 1 = yes
V1A17	2	# TIMES BABY HOSPITALIZED  QUESTION: A17. How many times?	Integer value  NOTE: this variable skipped if V1A16 = 0  NOTE: with the 16 September 2003 version, the range is from 1 to 10
V1A18	3	TOTAL # DAYS BABY HOSPITALIZED  QUESTION: A18. How many total days?	Integer value  NOTE: this variable skipped if V1A16 = 0  <i>This variable dropped 16 September 2003</i>
V1A18A	3	1 <sup>ST</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0  <i>This variable added 16 September 2003</i>
V1A18B	3	2 <sup>ND</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1  <i>This variable added 16 September 2003</i>

Var Name	Len	Label	Comments
V1A18C	3	3 <sup>RD</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2  <i>This variable added 16 September 2003</i>
V1A18D	3	4 <sup>TH</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3  <i>This variable added 16 September 2003</i>
V1A18E	3	5 <sup>TH</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4  <i>This variable added 16 September 2003</i>
V1A18F	3	6 <sup>TH</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5  <i>This variable added 16 September 2003</i>

Var Name	Len	Label	Comments
V1A18G	3	7 <sup>TH</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5 or V1A17 = 6  <i>This variable added 16 September 2003</i>
V1A18H	3	8 <sup>TH</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5 or V1A17 = 6 or V1A17 = 7  <i>This variable added 16 September 2003</i>
V1A18I	3	9 <sup>TH</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5 or V1A17 = 6 or V1A17 = 7 or V1A17 = 8  <i>This variable added 16 September 2003</i>



Var Name	Len	Label	Comments
V1A18J	3	10 <sup>TH</sup> TOT # DAYS IN HOSPITAL (BABY)  QUESTION: A18. How many total days did s/he stay in the hospital?	Integer value  NOTE: variables V1A18A-V1A18J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5 or V1A17 = 6 or V1A17 = 7 or V1A17 = 8 or V1A17 = 9  <i>This variable added 16 September 2003</i>
V1A19	Open	QUESTION: A19. For what reasons?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: this variable skipped if V1A16 = 0  <i>This variable dropped 16 September 2003</i>
V1A19A	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0  <i>This variable added 16 September 2003</i>
V1A19B	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1  <i>This variable added 16 September 2003</i>

Var Name	Len	Label	Comments
V1A19C	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2  <i>This variable added 16 September 2003</i>
V1A19D	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3  <i>This variable added 16 September 2003</i>
V1A19E	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4  <i>This variable added 16 September 2003</i>

<b>Var Name</b>	<b>Len</b>	<b>Label</b>	<b>Comments</b>
V1A19F	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5  <i>This variable added 16 September 2003</i>
V1A19G	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5 or V1A17 = 6  <i>This variable added 16 September 2003</i>
V1A19H	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5 or V1A17 = 6 or V1A17 = 7  <i>This variable added 16 September 2003</i>

Var Name	Len	Label	Comments
V1A19I	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5 or V1A17 = 6 or V1A17 = 7 or V1A17 = 8  <i>This variable added 16 September 2003</i>
V1A19J	Open	QUESTION: A19. Why was your baby hospitalized?	NOTE: this variable is in separate master dataset (need to create this!!!)  NOTE: variables V1A19A-V1A19J are part of a table that asks about each time the baby was hospitalized. The number of these variables that are answered should equal the value of V1A17, the number of times the baby was hospitalized.  NOTE: this variable skipped if V1A16 = 0 OR if V1A17 = 1 or V1A17 = 2 or V1A17 = 3 or V1A17 = 4 or V1A17 = 5 or V1A17 = 6 or V1A17 = 7 or V1A17 = 8 or V1A17 = 9  <i>This variable added 16 September 2003</i>
V1A20	Open	QUESTION: A20. Where do you take your child for pediatric care?	NOTE: this variable is in separate master dataset (need to create this!!!)