

**Main Data Record**

NOTE: SAS label appears in caps, while the actual question from the questionnaire appears in lower case. These data are found in SAS data set v1main.xXX, where XX = most updated SAS export file extension number.

Var Name	Len	Label	Comments
<b>SECTION D: VITAMINS AND SUPPLEMENTS</b>			
V1D1A	1	TAKE PRENATAL VITAMIN SINCE DELIVERY?  QUESTION: D1a. Since delivery, have you taken a prenatal vitamin?	0 = no → V1D2A 1 = yes 8 = don't know/refused → V1D2A
V1D1B1	2	MONTH START PRENATAL VITAMIN  QUESTION: D1b. In what month and year did you begin taking a prenatal vitamin?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery  NOTE: this variable along with V1D1B2 should be used to construct how long she has been taking prenatal vitamin  NOTE: this variable skipped if V1D1A = 0 or V1D1A = 8
V1D1B2	4	YEAR START PRENATAL VITAMIN  QUESTION: D1b. In what month and year did you begin taking a prenatal vitamin?	Between 2002 and 2007  NOTE: this variable skipped if V1D1A = 0 or V1D1A = 8
V1D1C	2	# PRENATAL VITAMIN PILLS TAKE AT A TIME  QUESTION: D1c. On the days you took a prenatal vitamin, how many pills did you take?	Between 1 and 10  NOTE: this variable skipped if V1D1A = 0 or V1D1A = 8

Var Name	Len	Label	Comments
VID1D	1	HOW OFTEN TOOK PRENATAL VIT  QUESTION: D1d. On average, how often do you take a/VID1C prenatal vitamin(s) per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?	1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused  NOTE: this question had different wording based on how many pills she said she took in VID1C. Thus, there were 2 different variables in Blaise (VID1D1 and VID1D2) to capture this. These two variables were combined in SAS to construct VID1D.  NOTE: this variable skipped if VID1A = 0 or VID1A = 8
VID1F	1	STILL TAKE PRENATAL VITAMIN?  QUESTION: D1f. Are you still taking a prenatal vitamin?	0 = no 1 = yes → VID1G  NOTE: this variable skipped if VID1A = 0 or VID1A = 8
VID1J1	2	MONTH STOPPED PRENATAL VITAMIN  QUESTION: D1j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with VID1J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if VID1A = 0 or VID1A = 8 OR if VID1F = 1
VID1J2	4	YEAR STOPPED PRENATAL VITAMIN  QUESTION: D1j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if VID1A = 0 or VID1A = 8 OR if VID1F = 1
VID1G	100, Text	BRAND NAME OF PRENATAL VITAMIN  QUESTION: D1g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if VID1A = 0 or VID1A = 8
VID2A	1	TAKE MULTIVITAMIN SINCE DELIVERY?  QUESTION: D2a. Since delivery, have you taken a multivitamin?	0 = no → VID3A 1 = yes 8 = don't know/refused → VID3A

Var Name	Len	Label	Comments
V1D2B1	2	<p>MONTH START MULTIVITAMIN</p> <p>QUESTION: D2b. In what month and year did you begin taking a multivitamin?</p>	<p>Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery</p> <p>NOTE: this variable along with V1D2B2 should be used to construct how long she has been taking prenatal vitamin</p> <p>NOTE: this variable skipped if V1D2A = 0 or V1D2A = 8</p>
V1D2B2	4	<p>YEAR START MULTIVITAMIN</p> <p>QUESTION: D2b. In what month and year did you begin taking a multivitamin?</p>	<p>Between 2002 and 2007</p> <p>NOTE: this variable skipped if V1D2A = 0 or V1D2A = 8</p>
V1D2C	2	<p># MULTIVITAMIN PILLS TAKE AT A TIME</p> <p>QUESTION: D2c. On the days you took a multivitamin, how many pills did you take?</p>	<p>Between 1 and 10</p> <p>NOTE: this variable skipped if V1D2A = 0 or V1D2A = 8</p>
V1D2D	1	<p>HOW OFTEN TOOK MULTIVITAMIN</p> <p>QUESTION: D2d. On average, how often do you take a/V1D2C multivitamin(s) per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?</p>	<p>1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused</p> <p>NOTE: this question had different wording based on how many pills she said she took in V1D2C. Thus, there were 2 different variables in Blaise (V1D2D1 and V1D2D2) to capture this. These two variables were combined in SAS to construct V1D2D.</p> <p>NOTE: this variable skipped if V1D2A = 0 or V1D2A = 8</p>
V1D2F	1	<p>STILL TAKE MULTIVITAMIN?</p> <p>QUESTION: D2f. Are you still taking a multivitamin?</p>	<p>0 = no 1 = yes → V1D2G</p> <p>NOTE: this variable skipped if V1D2A = 0 or V1D2A = 8</p>

PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1D2J1	2	MONTH STOPPED MULTIVITAMIN  QUESTION: D2j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D2J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D2A = 0 or V1D2A = 8 OR if V1D2F = 1
V1D2J2	4	YEAR STOPPED MULTIVITAMIN  QUESTION: D2j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D2A = 0 or V1D2A = 8 OR if V1D2F = 1
V1D2G	100, Text	BRAND NAME OF MULTIVITAMIN  QUESTION: D2g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D2A = 0 or V1D2A = 8
V1D3A	1	TAKE VITAMIN C SINCE DELIVERY?  QUESTION: D3a. Since delivery, have you taken vitamin C?	0 = no → V1D4A 1 = yes 8 = don't know/refused → V1D4A
V1D3B1	2	MONTH START VITAMIN C  QUESTION: D3b. In what month and year did you begin taking vitamin C?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery  NOTE: this variable along with V1D3B2 should be used to construct how long she has been taking prenatal vitamin  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8
V1D3B2	4	YEAR START VITAMIN C  QUESTION: D3b. In what month and year did you begin taking vitamin C?	Between 2002 and 2007  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8

Var Name	Len	Label	Comments
V1D3C	2	# VITAMIN C PILLS TAKE AT A TIME  QUESTION: D3c. On the days you took vitamin C, how many pills did you take?	Between 1 and 10  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8
V1D3D	1	HOW OFTEN TOOK VITAMIN C  QUESTION: D3d. On average, how often do you take a/V1D3C vitamin C pill(s) per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?	1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused  NOTE: this question had different wording based on how many pills she said she took in V1D3C. Thus, there were 2 different variables in Blaise (V1D3D1 and V1D3D2) to capture this. These two variables were combined in SAS to construct V1D3D.  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8
V1D3E	5	# IU, UGS, MGS IN VITAMIN C PILLS  QUESTION: D3e. How many international units (IU), micrograms, or milligrams (mg) are in each pill?	Integer value  99998 = don't know/refused  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8
V1D3F	1	STILL TAKE VITAMIN C?  QUESTION: D3f. Are you still taking vitamin C?	0 = no 1 = yes → V1D3G  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8
V1D3J1	2	MONTH STOPPED VITAMIN C  QUESTION: D3j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D3J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8 OR if V1D3F = 1
V1D3J2	4	YEAR STOPPED VITAMIN C  QUESTION: D3j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8 OR if V1D3F = 1

Var Name	Len	Label	Comments
V1D3G	100, Text	BRAND NAME OF VITAMIN C  QUESTION: D3g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D3A = 0 or V1D3A = 8
V1D4A	1	TAKE FOLIC ACID SINCE DELIVERY?  QUESTION: D4a. Since delivery, have you taken folic acid?	0 = no → V1D5A 1 = yes 8 = don't know/refused → V1D5A
V1D4B1	2	MONTH START FOLIC ACID  QUESTION: D4b. In what month and year did you begin taking folic acid?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery  NOTE: this variable along with V1D4B2 should be used to construct how long she has been taking prenatal vitamin  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8
V1D4B2	4	YEAR START FOLIC ACID  QUESTION: D4b. In what month and year did you begin taking folic acid?	Between 2002 and 2007  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8
V1D4C	2	# FOLIC ACID PILLS TAKE AT A TIME  QUESTION: D4c. On the days you took folic acid, how many pills did you take?	Between 1 and 10  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8
V1D4D	1	HOW OFTEN TOOK FOLIC ACID  QUESTION: D4d. On average, how often do you take a/V1D4C folic acid pill(s) per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?	1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused  NOTE: this question had different wording based on how many pills she said she took in V1D4C. Thus, there were 2 different variables in Blaise (V1D4D1 and V1D4D2) to capture this. These two variables were combined in SAS to construct V1D4D.  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8

PIN POSTPARTUM 3 MONTH VISIT

Var Name	Len	Label	Comments
V1D4E	5	# IU, UGS, MGS IN FOLIC ACID PILLS  QUESTION: D4e. How many international units (IU), micrograms, or milligrams (mg) are in each pill?	Integer value  99998 = don't know/refused  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8
V1D4F	1	STILL TAKE FOLIC ACID?  QUESTION: D3f. Are you still taking folic acid?	0 = no 1 = yes → V1D4G  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8
V1D4J1	2	MONTH STOPPED FOLIC ACID  QUESTION: D4j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D4J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8 OR if V1D4F = 1
V1D4J2	4	YEAR STOPPED FOLIC ACID  QUESTION: D4j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8 OR if V1D4F = 1
V1D4G	100, Text	BRAND NAME OF FOLIC ACID  QUESTION: D4g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D4A = 0 or V1D4A = 8
V1D5A	1	TAKE VITAMIN A SINCE DELIVERY?  QUESTION: D5a. Since delivery, have you taken vitamin A?	0 = no → V1D6A 1 = yes 8 = don't know/refused → V1D6A

Var Name	Len	Label	Comments
V1D5B1	2	<p>MONTH START VITAMIN A</p> <p>QUESTION: D5b. In what month and year did you begin taking vitamin A?</p>	<p>Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery</p> <p>NOTE: this variable along with V1D5B2 should be used to construct how long she has been taking prenatal vitamin</p> <p>NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8</p>
V1D5B2	4	<p>YEAR START VITAMIN A</p> <p>QUESTION: D5b. In what month and year did you begin taking vitamin A?</p>	<p>Between 2002 and 2007</p> <p>NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8</p>
V1D5C	2	<p># VITAMIN A PILLS TAKE AT A TIME</p> <p>QUESTION: D5c. On the days you took vitamin A, how many pills did you take?</p>	<p>Between 1 and 10</p> <p>NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8</p>
V1D5D	1	<p>HOW OFTEN TOOK VITAMIN A</p> <p>QUESTION: D5d. On average, how often do you take a/V1D5C vitamin A pill(s) per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?</p>	<p>1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused</p> <p>NOTE: this question had different wording based on how many pills she said she took in V1D5C. Thus, there were 2 different variables in Blaise (V1D5D1 and V1D5D2) to capture this. These two variables were combined in SAS to construct V1D5D.</p> <p>NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8</p>
V1D5E	5	<p># IU, UGS, MGS IN VITAMIN A PILLS</p> <p>QUESTION: D5e. How many international units (IU), micrograms, or milligrams (mg) are in each pill?</p>	<p>Integer value</p> <p>99998 = don't know/refused</p> <p>NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8</p>
V1D5F	1	<p>STILL TAKE VITAMIN A?</p> <p>QUESTION: D5f. Are you still taking vitamin A?</p>	<p>0 = no 1 = yes → V1D5G</p> <p>NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8</p>



Var Name	Len	Label	Comments
V1D5J1	2	MONTH STOPPED VITAMIN A  QUESTION: D5j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D5J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8 OR if V1D5F = 1
V1D5J2	4	YEAR STOPPED VITAMIN A  QUESTION: D5j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8 OR if V1D5F = 1
V1D5G	100, Text	BRAND NAME OF VITAMIN A  QUESTION: D5g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D5A = 0 or V1D5A = 8
V1D6A	1	TAKE CALCIUM/VIACTIV SINCE DELIVERY?  QUESTION: D6a. Since delivery, have you taken calcium or Viactiv calcium chews?	0 = no → V1D7A 1 = yes 8 = don't know/refused → V1D7A
V1D6B1	2	MONTH START CALCIUM  QUESTION: D6b. In what month and year did you begin taking calcium or Viactiv calcium chews?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery  NOTE: this variable along with V1D6B2 should be used to construct how long she has been taking prenatal vitamin  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8
V1D6B2	4	YEAR START CALCIUM  QUESTION: D6b. In what month and year did you begin taking calcium or Viactiv calcium chews?	Between 2002 and 2007  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8

Var Name	Len	Label	Comments
V1D6C	2	# CALCIUM PILLS TAKE AT A TIME  QUESTION: D6c. On the days you took calcium or Viactiv calcium chews, how many pills did you take?	Between 1 and 10  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8
V1D6D	1	HOW OFTEN TOOK CALCIUM  QUESTION: D6d. On average, how often do you take a/V1D6C calcium or Viactiv calcium chews per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?	1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused  NOTE: this question had different wording based on how many pills she said she took in V1D6C. Thus, there were 2 different variables in Blaise (V1D6D1 and V1D6D2) to capture this. These two variables were combined in SAS to construct V1D6D.  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8
V1D6E	5	# IU, UGS, MGS IN CALCIUM PILLS  QUESTION: D6e. How many international units (IU), micrograms, or milligrams (mg) are in each pill?	Integer value  99998 = don't know/refused  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8
V1D6F	1	STILL TAKE CALCIUM?  QUESTION: D6f. Are you still taking calcium or Viactiv calcium chews?	0 = no 1 = yes → V1D6G  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8
V1D6J1	2	MONTH STOPPED CALCIUM  QUESTION: D6j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D6J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8 OR if V1D6F = 1
V1D6J2	4	YEAR STOPPED CALCIUM  QUESTION: D6j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8 OR if V1D6F = 1

Var Name	Len	Label	Comments
V1D6G	100, Text	BRAND NAME OF CALCIUM  QUESTION: D6g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D6A = 0 or V1D6A = 8
V1D7A	1	TAKE TUMS FOR CALCIUM SINCE DELIVERY?  QUESTION: D7a. Since delivery, have you taken Tums for calcium or generic Tums?	0 = no → V1D8A 1 = yes 8 = don't know/refused → V1D8A
V1D7B1	2	MONTH START TUMS  QUESTION: D7b. In what month and year did you begin taking Tums for calcium?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery  NOTE: this variable along with V1D7B2 should be used to construct how long she has been taking prenatal vitamin  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8
V1D7B2	4	YEAR START TUMS  QUESTION: D7b. In what month and year did you begin taking Tums for calcium?	Between 2002 and 2007  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8
V1D7C	2	# TUMS PILLS AT A TIME  QUESTION: D7c. On the days you took Tums, how many pills did you take?	Between 1 and 10  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8
V1D7D	1	HOW OFTEN TOOK TUMS  QUESTION: D7d. On average, how often do you take a/V1D7C Tums per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?	1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused  NOTE: this question had different wording based on how many pills she said she took in V1D7C. Thus, there were 2 different variables in Blaise (V1D7D1 and V1D7D2) to capture this. These two variables were combined in SAS to construct V1D7D.  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8

Var Name	Len	Label	Comments
V1D7E	5	# IU, UGS, MGS IN TUMS PILLS  QUESTION: D7e. How many international units (IU), micrograms, or milligrams (mg) are in each pill?	Integer value  99998 = don't know/refused  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8
V1D7F	1	STILL TAKE TUMS?  QUESTION: D7f. Are you still taking Tums?	0 = no 1 = yes → V1D7G  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8
V1D7J1	2	MONTH STOPPED TUMS  QUESTION: D7j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D7J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8 OR if V1D7F = 1
V1D7J2	4	YEAR STOPPED TUMS  QUESTION: D7j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8 OR if V1D7F = 1
V1D7G	100, Text	BRAND NAME OF TUMS  QUESTION: D7g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D7A = 0 or V1D7A = 8
V1D8A	1	TAKE IRON SINCE DELIVERY?  QUESTION: D8a. Since delivery, have you taken iron?	0 = no → V1D9A 1 = yes 8 = don't know/refused → V1D9A

Var Name	Len	Label	Comments
V1D8B1	2	MONTH START IRON  QUESTION: D8b. In what month and year did you begin taking iron?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery  NOTE: this variable along with V1D8B2 should be used to construct how long she has been taking prenatal vitamin  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8
V1D8B2	4	YEAR START IRON  QUESTION: D8b. In what month and year did you begin taking iron?	Between 2002 and 2007  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8
V1D8C	2	# IRON PILLS TAKE AT A TIME  QUESTION: D8c. On the days you took iron, how many pills did you take?	Between 1 and 10  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8
V1D8D	1	HOW OFTEN TOOK IRON  QUESTION: D8d. On average, how often do you take a/V1D8C iron pill(s) per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?	1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused  NOTE: this question had different wording based on how many pills she said she took in V1D8C. Thus, there were 2 different variables in Blaise (V1D8D1 and V1D8D2) to capture this. These two variables were combined in SAS to construct V1D8D.  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8
V1D8E	5	# IU, UGS, MGS IN IRON PILLS  QUESTION: D8e. How many international units (IU), micrograms, or milligrams (mg) are in each pill?	Integer value  99998 = don't know/refused  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8
V1D8F	1	STILL TAKE IRON?  QUESTION: D8f. Are you still taking iron?	0 = no 1 = yes → V1D8G  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8

Var Name	Len	Label	Comments
V1D8J1	2	MONTH STOPPED IRON  QUESTION: D8j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D8J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8 OR if V1D8F = 1
V1D8J2	4	YEAR STOPPED IRON  QUESTION: D8j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8 OR if V1D8F = 1
V1D8G	100, Text	BRAND NAME OF IRON  QUESTION: D8g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D8A = 0 or V1D8A = 8
V1D9A	1	TAKE ZINC SINCE DELIVERY?  QUESTION: D9a. Since delivery, have you taken zinc?	0 = no → V1D10A 1 = yes 8 = don't know/refused → V1D10A
V1D9B1	2	MONTH START ZINC  QUESTION: D9b. In what month and year did you begin taking zinc?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery  NOTE: this variable along with V1D9B2 should be used to construct how long she has been taking prenatal vitamin  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8
V1D9B2	4	YEAR START ZINC  QUESTION: D9b. In what month and year did you begin taking zinc?	Between 2002 and 2007  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8

Var Name	Len	Label	Comments
V1D9C	2	# ZINC PILLS AT A TIME  QUESTION: D9c. On the days you took zinc, how many pills did you take?	Between 1 and 10  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8
V1D9D	1	HOW OFTEN TOOK ZINC  QUESTION: D9d. On average, how often do you take a/V1D9C zinc pill(s) per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?	1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused  NOTE: this question had different wording based on how many pills she said she took in V1D9C. Thus, there were 2 different variables in Blaise (V1D9D1 and V1D9D2) to capture this. These two variables were combined in SAS to construct V1D9D.  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8
V1D9E	5	# IU, UGS, MGS IN ZINC PILLS  QUESTION: D9e. How many international units (IU), micrograms, or milligrams (mg) are in each pill?	Integer value  99998 = don't know/refused  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8
V1D9F	1	STILL TAKE ZINC?  QUESTION: D9f. Are you still taking zinc?	0 = no 1 = yes → V1D9G  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8
V1D9J1	2	MONTH STOPPED ZINC  QUESTION: D9j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D9J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8 OR if V1D9F = 1
V1D9J2	4	YEAR STOPPED ZINC  QUESTION: D9j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8 OR if V1D9F = 1

Var Name	Len	Label	Comments
V1D9G	100, Text	BRAND NAME OF ZINC  QUESTION: D9g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D9A = 0 or V1D9A = 8
V1D10A	1	TAKE OTHER VIT/MINERAL SINCE DELIVERY?  QUESTION: D10a. Since delivery, have you taken any other vitamins, minerals, or supplements?	0 = no → V1E1 1 = yes 8 = don't know/refused → V1E1
V1D10T	100, Text	TYPE OF VITAMIN/MINERAL SUPPLEMENT  QUESTION: D10t. What type of vitamin, mineral, or supplement did you take?	NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8
V1D10B1	2	MONTH START OTHER VITAMIN/MINERAL SUPP  QUESTION: D10b. In what month and year did you begin taking V1D10T?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year 20 = since delivery  NOTE: this variable along with V1D10B2 should be used to construct how long she has been taking prenatal vitamin  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8
V1D10B2	4	YEAR START OTHER VITAMIN/MINERAL SUPP  QUESTION: D10b. In what month and year did you begin taking V1D10T?	Between 2002 and 2007  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8
V1D10C	2	# VITAMIN/MINERAL PILLS AT A TIME  QUESTION: D10c. On the days you took V1D10T, how many pills did you take?	Between 1 and 10  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8



Var Name	Len	Label	Comments
V1D10D	1	HOW OFTEN TOOK OTHER VITAMIN/MINERAL SUPP  QUESTION: D10d. On average, how often do you take a/V1D10C V1D10T pill(s) per week? Would you say 6 or 7 days a week, around 5 days a week, around 3 or 4 days a week or around 1 or 2 days a week?	1 = 1-2 days/wk 2 = 3-4 days/wk 3 = 5 days/wk 4 = 6-7 days/wk 8 = don't know/refused  NOTE: this question had different wording based on how many pills she said she took in V1D10C. Thus, there were 2 different variables in Blaise (V1D10D1 and V1D10D2) to capture this. These two variables were combined in SAS to construct V1D10D.  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8
V1D10E	5	# IU, UGS, MGS IN VITAMIN/MINERAL SUPP  QUESTION: D10e. How many international units (IU), micrograms, or milligrams (mg) are in each pill?	Integer value  99998 = don't know/refused  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8
V1D10F	1	STILL TAKE VITAMIN/MINERAL SUPPLEMENT?  QUESTION: D10f. Are you still taking V1D10T?	0 = no 1 = yes → V1D10G  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8
V1D10J1	2	MONTH STOPPED VITAMIN/MINERAL SUPPLEMENT  QUESTION: D10j. In what month and year did you stop taking them?	Between 1 and 12 13 = beginning of year winter 14 = end of year winter 15 = spring 16 = summer 17 = fall 18 = winter (not specified) 19 = mid year  NOTE: this variable along with V1D10J2 should be used to create variable for when she stopped taking prenatal vitamin  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8 OR if V1D10F = 1
V1D10J2	4	YEAR STOPPED VITAMIN/MINERAL SUPPLEMENT  QUESTION: D10j. In what month and year did you stop taking them?	Between 2002 and 2007  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8 OR if V1D10F = 1
V1D10G	100, Text	BRAND NAME OF VITAMIN/MINERAL SUPPLEMENT  QUESTION: D10g. What is the name of the brand you use(d) most often?	98 = don't know  NOTE: this variable skipped if V1D10A = 0 or V1D10A = 8

