

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
	<b>Major Clinical Problems/Surgical Procedures (MCP)</b>	
UA01	Major Clinical Problems / Surgical Procedures page (MCP)	0=no 1=yes 2=yes, but none of these problems listed, skip to A.32 (other problem)
UA02	Excessive vomiting (nausea/vomiting, hyperemesis gravidarum) (MCP)	1=listed 7=not listed
UA02A	Excessive vomiting (nausea/vomiting, hyperemesis gravidarum)--mm (MCP)	
UA02B	Excessive vomiting (nausea/vomiting, hyperemesis gravidarum)--dd (MCP)	
UA02C	Excessive vomiting (nausea/vomiting, hyperemesis gravidarum)--yy (MCP)	
UA02D	Meds / fluids for excessive vomiting (MCP)	4-digit medication code 9997=not listed
UA03	Incompetent cervix (MCP)	1=listed 7=not listed
UA04	Cerclage (MCP)	1=listed 7=not listed
UA04A	Cerclage--mm (MCP)	
UA04B	Cerclage--dd (MCP)	
UA04C	Cerclage--yy (MCP)	
UA05	1st or 2nd trimester bleeding (MCP)	1=listed 7=not listed
UA06	Third trimester bleeding (MCP)	1=listed 7=not listed
UA07	Antepartum bleeding, unspecified time (MCP)	1=listed 7=not listed
UA07A	Antepartum bleeding, unspecified time--mm (MCP)	
UA07B	Antepartum bleeding, unspecified time--dd (MCP)	
UA07C	Antepartum bleeding, unspecified time--yy (MCP)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UA08	Premature labor w/out delivery (MCP)	1=listed 7=not listed
UA08A	Premature labor w/out delivery--mm (MCP)	
UA08B	Premature labor w/out delivery--dd (MCP)	
UA08C	Premature labor w/out delivery--yy (MCP)	
UA08D	Bedrest / pelvic rest (MCP)	1=yes 7=not listed
UA08E	Cervical change (MCP)	1=yes 7=not listed
UA09	Intrauterine growth retardation (IUGR) (MCP)	1=listed 7=not listed
UA09A	Intrauterine growth retardation (IUGR)--mm (MCP)	
UA09B	Intrauterine growth retardation (IUGR)--dd (MCP)	
UA09C	Intrauterine growth retardation (IUGR)--yy (MCP)	
UA10	Poor fetal growth (MCP)	1=listed 7=not listed
UA10A	Poor fetal growth--mm (MCP)	
UA10B	Poor fetal growth--dd (MCP)	
UA10C	Poor fetal growth--yy (MCP)	
UA11	PROM (MCP)	1=listed 7=not listed
UA11A	PROM--mm (MCP)	
UA11B	PROM--dd (MCP)	
UA11C	PROM--yy (MCP)	
UA12	Placental abruption (MCP)	1=listed 7=not listed
UA12A	Placental abruption--mm (MCP)	
UA12B	Placental abruption--dd (MCP)	
UA12C	Placental abruption--yy (MCP)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UA13	Placenta previa (MCP)	1=listed 7=not listed
UA13A	Placenta previa--mm (MCP)	
UA13B	Placenta previa--dd (MCP)	
UA13C	Placenta previa--yy (MCP)	
UA13D	Placenta previa resolved (MCP)	1=yes 7=not listed
UA14	Congenital defect flag (MCP)	1=listed 7=not listed
UA14A	Congenital defect specified (MCP)	3-digit defect code
UA15	Version attempt (MCP)	1=listed 7=not listed
UA15A	Version attempt--mm (MCP)	
UA15B	Version attempt--dd (MCP)	
UA15C	Version attempt--yy (MCP)	
UA15D	Version attempt, successful v. failed (MCP)	0=no 1=yes 7=not listed
UA16	Polyhydramnios (too much fluid) (MCP)	1=listed 7=not listed
UA16A	Polyhydramnios (too much fluid)--mm (MCP)	
UA16B	Polyhydramnios (too much fluid)--dd (MCP)	
UA16C	Polyhydramnios (too much fluid)--yy (MCP)	
UA17	Oligohydramnios (too little fluid) (MCP)	1=listed 7=not listed
UA17A	Oligohydramnios (too little fluid)--mm (MCP)	
UA17B	Oligohydramnios (too little fluid)--dd (MCP)	
UA17C	Oligohydramnios (too little fluid)--yy (MCP)	
UA18	PIH (MCP)	1=listed 7=not listed

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UA18A	PIH--mm (MCP)	
UA18B	PIH--dd (MCP)	
UA18C	PIH--yy (MCP)	
UA19	Hypertensive med (MCP)	1=listed 7=not listed
UA19A	Hypertensive med code a (MCP)	4-digit medication code 9997=not listed
UA19B	Hypertensive med code b (MCP)	4-digit medication code 9997=not listed
UA20	Pre-existing diabetes (MCP)	1=listed 7=not listed
UA20A	Pre-existing diabetes, type of control (MCP)	1=diet 2=insulin 7=not listed
UA21	Gestational diabetes (MCP)	1=listed 7=not listed
UA21A	Gestational diabetes--mm (MCP)	
UA21B	Gestational diabetes--dd (MCP)	
UA21C	Gestational diabetes--yy (MCP)	
UA21D	Gestational diabetes, type of control (MCP)	1=diet 2=insulin 7=not listed
UA22	Diabetes (unspecified type) (MCP)	1=listed 7=not listed
UA22A	Diabetes (unspecified type)--mm (MCP)	
UA22B	Diabetes (unspecified type)--dd (MCP)	
UA22C	Diabetes (unspecified type)--yy (MCP)	
UA22D	Diabetes (unspecified type), type of control (MCP)	1=diet 2=insulin 7=not listed
UA23	Uterine leiomyomata (fibroids) (MCP)	1=listed 7=not listed

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UA24	Amniocentesis (MCP)	1=listed 7=not listed
UA24A	Amniocentesis--mm (MCP)	
UA24B	Amniocentesis--dd (MCP)	
UA24C	Amniocentesis--yy (MCP)	
UA25	Chorionic villus sampling (MCP)	1=listed 7=not listed
UA25A	Chorionic villus sampling--mm (MCP)	
UA25B	Chorionic villus sampling--dd (MCP)	
UA25C	Chorionic villus sampling--yy (MCP)	
UA26	PUBS (MCP)	1=listed 7=not listed
UA26A	PUBS--mm (MCP)	
UA26B	PUBS--dd (MCP)	
UA26C	PUBS--yy (MCP)	
UA27	Genital herpes (MCP)	1=listed 7=not listed
UA27A	Genital herpes--mm (MCP)	
UA27B	Genital herpes--dd (MCP)	
UA27C	Genital herpes--yy (MCP)	
UA28	Genital warts (condyloma) (MCP)	1=listed 7=not listed
UA28A	Genital warts (condyloma)--mm (MCP)	
UA28B	Genital warts (condyloma)--dd (MCP)	
UA28C	Genital warts (condyloma)--yy (MCP)	
UA28D	Genital warts (condyloma) treatment (MCP)	0=no 1=yes 7=not listed
UA28E	Genital warts (condyloma) med code 1 (MCP)	4-digit medication code 9997= not listed

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UA28F	Genital warts (condyloma) med code 2 (MCP)	4-digit medication code 9997= not listed
UA28G	Genital warts (condyloma) med code 3 (MCP)	4-digit medication code 9997= not listed
UA29	HIV positive (MCP)	1=listed 7=not listed
UA29A	Antiviral med A (MCP)	0=no 1=yes 7=not listed
UA29B	Antiviral med code 1 (MCP)	4-digit medication code 9997= not listed
UA29C	Antiviral med code 2 (MCP)	4-digit medication code 9997= not listed
UA29D	Antiviral med code 3 (MCP)	4-digit medication code 9997= not listed
UA30	AIDS (MCP)	1=listed 7=not listed
UA30A	Antiviral med B (MCP)	0=no 1=yes 7=not listed
UA30B	Antiviral med code 4 (MCP)	4-digit medication code 9997= not listed
UA30C	Antiviral med code 5 (MCP)	4-digit medication code 9997= not listed
UA30D	Antiviral med code 6 (MCP)	4-digit medication code 9997= not listed
UA31	Cervical treatment during pregnancy (MCP)	1=listed 7=not listed
UA31A	Cervical treatment during pregnancy--mm (MCP)	
UA31B	Cervical treatment during pregnancy--dd (MCP)	
UA31C	Cervical treatment during pregnancy--yy (MCP)	
UA31D	Cervical cryo during pregnancy (MCP)	A.31 Circle all that apply 0=no 1=yes

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UA31E	Cervical LEEP during pregnancy (MCP)	A.31 Circle all that apply 0=no 1=yes
UA31F	Cervical laser ablation during pregnancy (MCP)	A.31 Circle all that apply 0=no 1=yes
UA31G	Cervical cold knife cone during pregnancy (MCP)	A.31 Circle all that apply 0=no 1=yes
UA31H	Cervical laser cone during pregnancy (MCP)	A.31 Circle all that apply 0=no 1=yes
UA31I	Cervical biopsy during pregnancy (MCP)	A.31 Circle all that apply 0=no 1=yes
UA32	Other problems flag (MCP)	1=listed 7=not listed
UA32A	Other problems--mm (MCP)	
UA32B	Other problems--dd (MCP)	
UA32C	Other problems--yy (MCP)	
UA32T	Other problems specified (MCP)	
	<b>Medications</b>	
UA33A	Total number of medications	count
UA33	Medication number (MCP)	
UA34	Medication code (MCP)	4-digit medication code 9997=not listed
UA35A	Medication initiated--mm (MCP)	
UA35B	Medication initiated--dd (MCP)	
UA35C	Medication initiated--yy (MCP)	
UA36A	Medication discontinued--mm (MCP)	
UA36B	Medication discontinued--dd (MCP)	
UA36C	Medication discontinued--yy (MCP)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
	<b>Past Obstetric History Page (POH)</b>	
UB02	Number of pregnancies recorded (POH)	count 0=first pregnancy 97=section is blank
UB03	Pregnancy delivery date, mm (POH)	
UB04	Pregnancy delivery date, yy (POH)	
UB05	Previous pregnancy birth weight, grams (POH) history of IUGR (SGA)--calculate with UB06 history of low birth weight history of excessive birth weight	
UB05A	Previous pregnancy birth weight, lbs (POH)	
UB05B	Previous pregnancy birth weight, oz (POH)	
UB06	Previous pregnancy weeks gestation (POH) history of IUGR (SGA)--calculate with UB05	
UB07	Previous pregnancy, no problems (POH)	0=problems listed 1=no problems listed
UB08	History of ectopic pregnancy (POH)	0=no 1=yes
UB09	History of spontaneous abortion <12 weeks (POH)	0=no 1=yes
UB10	History of spontaneous abortion 12-20 weeks (POH)	0=no 1=yes
UB11	History of spontaneous abortion, unspecified time (POH)	0=no 1=yes
UB12	History of therapeutic abortion <12 weeks (POH)	0=no 1=yes
UB13	History of therapeutic abortion 12-20 weeks (POH)	0=no 1=yes
UB14	History of therapeutic abortion, unspecified time (POH)	0=no 1=yes
UB15	History of death in utero >20 weeks (stillbirth) (POH)	0=no 1=yes



## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UB16	History of placenta previa (POH)	0=no 1=yes
UB17	History of placenta abruptio (placental abruption) (POH)	0=no 1=yes
UB18	History of PROM (POH)	0=no 1=yes
UB19	History of PIH (POH)	0=no 1=yes
UB20	History of premature labor (POH)	0=no 1=yes
UB21	History of cerclage (POH)	0=no 1=yes
UB22	History of cesarean section (POH)	0=no 1=yes
UB23	History of pre-eclampsia (POH)	0=no 1=yes
UB24	History of eclampsia (POH)	0=no 1=yes
UB25	History of antepartum hemorrhage (POH)	0=no 1=yes
UB26	History of congenital anomalies (POH)	0=no 1=yes
UB27	History of failed vaginal delivery after previous cesarean (POH)	0=no 1=yes
UB28	History of multiple pregnancy (POH)	0=no 1=yes
UB29	History of beta strep (POH)	0=no 1=yes
	<b>Complications Associated w/ Previous Pregnancies</b>	
UC01	History of ectopic pregnancy (POH)	1=checked 7=not checked

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

*Note: All variables are numeric variables unless described as "other text" or "set sequence letter"*

VARIABLE NAME	DESCRIPTION	COMMENT
UC02	History of death in utero >20 weeks (stillbirth) (POH)	1=checked 7=not checked
UC03	History of incompetent cervix (POH)	1=checked 7=not checked
UC04	History of placenta previa (POH)	1=checked 7=not checked
UC05	History of placenta abruptio (placental abruption) (POH)	1=checked 7=not checked
UC06	History of antepartum hemorrhage (POH)	1=checked 7=not checked
UC07	History of low birth weight infant (POH)	1=checked 7=not checked
UC08	History of IUGR (SGA) (POH)	1=checked 7=not checked
UC09	History of excessive birth weight (POH)	1=checked 7=not checked
UC10	History of PROM (POH)	1=checked 7=not checked
UC11	History of congenital anomalies flag (POH)	1=checked 7=not checked
UC11T	History of congenital anomalies, specified (POH)	
UC12	Hypertension, pre-existing (POH)	1=checked 7=not checked
UC13	History of PIH (POH)	1=checked 7=not checked
UC14	History of pre-eclampsia (POH)	1=checked 7=not checked
UC15	History of eclampsia (POH)	1=checked 7=not checked
UC16	History of premature labor (POH)	1=checked 7=not checked
UC17	History of failed vaginal delivery after previous cesarean (POH)	1=checked 7=not checked

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UC18	History of multiple pregnancy (POH)	1=checked 7=not checked
UC19	History of cerclage (POH)	1=checked 7=not checked
UC20	History of cesarean section (POH)	1=checked 7=not checked
UC21	History of surgical / traumatic scar of cervix (POH)	1=checked 7=not checked
	<b>Past Medical History Page (PMH)</b>	
UD01	History of anemia, iron deficiency (PMH)	1=checked 7=not checked
UD02	History of anemia, acute blood loss (PMH)	1=checked 7=not checked
UD03	History of anemia, folate deficiency (PMH)	1=checked 7=not checked
UD04	History of anemia, unspecified (PMH)	1=checked 7=not checked
UD05	Thalassemia (PMH)	1=checked 7=not checked
UD06	Sickle cell trait (PMH)	1=checked 7=not checked
UD07	Sickle cell anemia (PMH)	1=checked 7=not checked
UD08	Congenital heart disease (pregnant woman) (PMH)	1=checked 7=not checked
UD09	DES exposure in utero (PMH)	1=checked 7=not checked
UD10	History of thyroid disease (PMH)	1=checked 7=not checked
UD11	History of diabetes, unspecified (PMH)	1=checked 7=not checked
UD11A	Diabetes, chronic, age of onset (PMH)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UD12	History of diabetes, gestational only (PMH)	1=checked 7=not checked
UD13	History of diabetes, controlled by diet (PMH)	1=checked 7=not checked
UD14	History of diabetes, controlled with oral medication (PMH)	1=checked 7=not checked
UD15	History of diabetes, controlled with insulin (PMH)	1=checked 7=not checked
UD16	History of pyelonephritis (PMH)	1=checked 7=not checked
UD16A	History of pyelonephritis, number of episodes (PMH)	
UD17	History of cystitis (PMH)	1=checked 7=not checked
UD17A	History of cystitis, number of episodes (PMH)	
UD18	HIV, at risk (PMH)	0=no, not at risk 1=yes, at risk 7=not listed
UD19	HIV risk factor flag (PMH)	0=no 1=yes
UD19A	HIV risk factor a, text (PMH)	
UD19B	HIV risk factor b, text (PMH)	
UD20	HIV screening offered (PMH)	0=no 1=yes 7=not listed
UD21	HIV screening done (PMH)	0=no 1=yes 7=not listed
UD21A	HIV screening not done, reason (PMH)	1=recent testing 2=other reason 7=not listed
UD21AA	HIV screening not done, recent testing--mm (PMH)	
UD21AB	HIV screening not done, recent testing--dd (PMH)	
UD21AC	HIV screening not done, recent testing--yy (PMH)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UD21AT	HIV screening not done, other text (PMH)	
UD22	History of genital herpes (PMH)	1=checked 7=not checked
UD23	History of gonorrhea (PMH)	1=checked 7=not checked
UD24	History of syphilis (PMH)	1=checked 7=not checked
UD25	History of chlamydia (PMH)	1=checked 7=not checked
UD26	History of group B beta strep (PMH)	1=checked 7=not checked
UD27	History of condyloma / warts (PMH)	1=checked 7=not checked
UD28	History of pelvic inflammatory disease (PMH)	1=checked 7=not checked
UD29	History of trichomonas (PMH)	1=checked 7=not checked
UD30	HIV (PMH)	1=checked 7=not checked
UD31	AIDS (PMH)	1=checked 7=not checked
UD32	History of other STD flag (PMH)	1=checked 7=not checked
UD32T	History of other STD text (PMH)	
UD33	History of abnormal Pap smear, abnormal cytology (PMH)	1=checked 7=not checked
UD34	History of abnormal Pap smear, dysplasia (PMH)	1=checked 7=not checked
UD35	History of abnormal Pap smear, carcinoma in situ (PMH)	1=checked 7=not checked
UD36	History of leiomyomata (PMH)	1=checked 7=not checked

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UD37	Multiple sclerosis (PMH)	1=checked 7=not checked
UD38	History of depression (PMH)	1=checked 7=not checked
UD39	Physical abuse, unspecified time (PMH)	1=checked 7=not checked
UD40	Bipolar disorder (PMH)	1=checked 7=not checked
UD41	History of suicide attempt (PMH)	1=checked 7=not checked
UD42	Substance abuse, unspecified (PMH)	1=checked 7=not checked
UD43	Cocaine, past (PMH)	1=checked 7=not checked
UD44	Cocaine, current (PMH)	1=checked 7=not checked
UD45	Marijuana, past (PMH)	1=checked 7=not checked
UD46	Marijuana, current (PMH)	1=checked 7=not checked
UD47	Alcohol / ETOH, past (PMH)	1=checked 7=not checked
UD48	Alcohol / ETOH, past, drinks/week (PMH)	count 994=occasionally
UD49	Alcohol / ETOH, current (PMH)	1=checked 7=not checked
UD50	Alcohol / EtOH, current, drinks/week (PMH)	count 994=occasionally
UD51	Tobacco, past (PMH)	1=checked 7=not checked
UD52	Tobacco, past, packsay (PMH)	count 992=less than 1 pack 994= occasionally

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UD53	Tobacco, current (PMH)	1=checked 7=not checked
UD54	Tobacco, current, packsay (PMH)	count 992=less than 1 pack 994= occasionally
UD55	Amphetamines / speed (PMH)	1=checked 7=not checked
UD56	Valium / tranquilizers (PMH)	1=checked 7=not checked
UD57	Narcotics / heroin (PMH)	1=checked 7=not checked
UD58	Opiates (PMH)	1=checked 7=not checked
UD59	Psychedelics / LSD / PCP (PMH)	1=checked 7=not checked
UD60	Inhalants / glue (PMH)	1=checked 7=not checked
UD61A	ETOH C (if pos) (Cut back on habit) (PMH)	D.61 <i>Circle all that apply</i> 0=no 1=yes
UD61B	ETOH A (if pos) (others Annoyed at habit) (PMH)	D.61 <i>Circle all that apply</i> 0=no 1=yes
UD61C	ETOH G (if pos) (feel Guilty about habit) (PMH)	D.61 <i>Circle all that apply</i> 0=no 1=yes
UD61D	ETOH E (if pos) (partake Early in the day) (PMH)	D.61 <i>Circle all that apply</i> 0=no 1=yes
UD61E	ETOH CAGE negative (PMH)	D.61 <i>Circle all that apply</i> 0=no 1=yes
UD61F	ETOH CAGE positive (PMH)	D.61 <i>Circle all that apply</i> 0=no 1=yes

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UD61G	ETOH CAGE not done (PMH)	D.61 <i>Circle all that apply</i> 0=no 1=yes
UD61H	ETOH CAGE declined (PMH)	D.61 <i>Circle all that apply</i> 0=no 1=yes
UD62A	Drug C (if pos) (Cut back on habit) (PMH)	D.62 <i>Circle all that apply</i> 0=no 1=yes
UD62B	Drug A (if pos) (others Annoyed at habit) (PMH)	D.62 <i>Circle all that apply</i> 0=no 1=yes
UD62C	Drug G (if pos) (feel Guilty about habit) (PMH)	D.62 <i>Circle all that apply</i> 0=no 1=yes
UD62D	Drug E (if pos) (partake Early in the day) (PMH)	D.62 <i>Circle all that apply</i> 0=no 1=yes
UD62E	Drug CAGE negative (PMH)	D.62 <i>Circle all that apply</i> 0=no 1=yes
UD62F	Drug CAGE positive (PMH)	D.62 <i>Circle all that apply</i> 0=no 1=yes
UD62G	Drug CAGE not done (PMH)	D.62 <i>Circle all that apply</i> 0=no 1=yes
UD62H	Drug CAGE declined (PMH)	D.62 <i>Circle all that apply</i> 0=no 1=yes
UD63	History of cervical cryotherapy (PMH)	1=checked 7=not checked
UD64	History of cervical LEEP (PMH)	1=checked 7=not checked
UD65	History of cervical laser ablation (PMH)	1=checked 7=not checked



## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UD66	History of cervical cold knife cone (PMH)	1=checked 7=not checked
UD67	History of cervical laser cone (PMH)	1=checked 7=not checked
UD68	History of cervical biopsy (PMH)	1=checked 7=not checked
UD69	History of cerclage (PMH)	1=checked 7=not checked
UD70	PMH page completed by, code (PMH)	2-digit id code
	<b>Initial Physical Examination Page (IPE)</b>	
UE01	Condyloma (warts)/ HPV (IPE)	1=yes 7=not listed
UE02	Herpes, genital (IPE)	1=yes 7=not listed
	<b>Prenatal Visits (PNV)</b>	
UF01	Height (in.) (PNV)	48-78 97=not listed
UF02	Pre-pregnancy weight (lbs.) (PNV)	80-400 997=not listed
UF02A	Pre-pregnancy weight (kg) (PNV)	35-180 997=not listed
UF03A	Best EDC, mm (PNV)	
UF03B	Best EDC, dd (PNV)	
UF03C	Best EDC, yy (PNV)	
UF04	Total number of prenatal visits (PNV)	count
UF04A	Prenatal visit number (PNV)	count
UF05A	Visit date, mm (PNV)	
UF05B	Visit date, dd (PNV)	
UF05C	Visit date, yy (PNV)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UF06	Clinic (WCHD / AHEC / ACC / other) (PNV)	1=WCHS (Wake County Human Services) 2=AHEC (Wake AHEC) 3=UNC 4=other
UF07	Fundal height (PNV)	5-50 97=not listed
UF08	Edema (PNV)	0=none/trace 1=1+ 2=2+ 3=3+ 4=4+ 7=blank / not listed
UF09A	Systolic blood pressure (PNV)	50-210 997=not listed
UF09B	Diastolic blood pressure (PNV)	35-150 997=not listed
UF10	Protein in urine (PNV)	0=none/trace 1=1+ 2=2+ 3=3+ 7=blank / not listed
UF11	Weight (lbs.) (PNV)	80-400 997=not listed
UF11A	Weight (kg) (PNV)	35-180 997=not listed
	<b>Vaginal Diagnosis (PNV)</b>	
UF12AA	KOH / whiff test (PNV)	0=negative 1=positive 7=not listed
UF12AB	Vaginal pH (PNV)	0=less than 4.5 1=greater than or equal to 4.5 7=not listed
UF12AC	Wet prep (PNV)	0=none 1=positive 7=not listed

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
	<b>Preterm labor symptoms (PNV)</b>	
UF12B_1	Uterine contractions / lower abdominal cramps (PNV)	F.12b <i>Circle all that apply</i> 0=no 1=yes
UF12B_2	Back pain (PNV)	F.12b <i>Circle all that apply</i> 0=no 1=yes
UF12B_3	Pelvic pressure (PNV)	F.12b <i>Circle all that apply</i> 0=no 1=yes
UF12B_4	Vaginal bleeding (PNV)	F.12b <i>Circle all that apply</i> 0=no 1=yes
UF12B_5	Vaginal fluid leak (PNV)	F.12b <i>Circle all that apply</i> 0=no 1=yes
UF12B_6	Diarrhea (PNV)	F.12b <i>Circle all that apply</i> 0=no 1=yes
UF12B_7	None (PNV)	F.12b <i>Circle all that apply</i> 0=no 1=yes
UF12B_8	Abnormal vaginal discharge (PNV)	F.12b <i>Circle all that apply</i> 0=no 1=yes
UF13A	Cervical dilation (PNV)	1=1 cm 2=2 cm 3=3 cm 4=4 cm 5=5 cm 6=greater than 5 cm 7=closed 8=fingertip 97=not listed

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UF13B	Cervical effacement (PNV)	1=long 2=0 to 20% 3=21 to 40% 4=41 to 60% 5=61 to 80% 6=81 to 100% 7=1 cm 8=2 cm 9=3 cm 10=4 cm 97=not listed
UF13C	Cervical position (PNV)	1=high or posterior 2=ballotable 3= -3 to 0 or "mid" 4= +1 to +3 97=not listed
UF14	Medications prescribed at prenatal visit (PNV)	0=no 1=yes
UF14A	Medication 1 (PNV)	4-digit medication code
UF14B	Indication 1 (PNV)	3-digit indication code
UF14C	Medication 2 (PNV)	4-digit medication code
UF14D	Indication 2 (PNV)	3-digit indication code
UF14E	Medication 3 (PNV)	4-digit medication code
UF14F	Indication 3 (PNV)	3-digit indication code
UF14G	Medication 4 (PNV)	4-digit medication code
UF14H	Indication 4 (PNV)	3-digit indication code
UF15	HIV pretest counseling (PNV)	1=yes 7=not mentioned
UF15AA	HIV pretest counseling visit a--mm (PNV)	
UF15AB	HIV pretest counseling visit a--dd (PNV)	
UF15AC	HIV pretest counseling visit a--yy (PNV)	
UF15AD	HIV pretest counseling provider a (PNV)	2-digit provider code 97=not listed
UF15BA	HIV pretest counseling visit b--mm (PNV)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UF15BB	HIV pretest counseling visit b--dd (PNV)	
UF15BC	HIV pretest counseling visit b--yy (PNV)	
UF15BD	HIV pretest counseling provider b (PNV)	2-digit provider code 97=not listed
UF16	HIV posttest counseling (PNV)	1=yes 7=not mentioned
UF16AA	HIV posttest counseling visit a--mm (PNV)	
UF16AB	HIV posttest counseling visit a--dd (PNV)	
UF16AC	HIV posttest counseling visit a--yy (PNV)	
UF16AD	HIV posttest counseling provider a (PNV)	2-digit provider code 97=not listed
UF16BA	HIV posttest counseling visit b--mm (PNV)	
UF16BB	HIV posttest counseling visit b--dd (PNV)	
UF16BC	HIV posttest counseling visit b--yy (PNV)	
UF16BD	HIV posttest counseling provider b (PNV)	2-digit provider code 97=not listed
UF17	HIV testing (PNV)	1=HIV testing done 2=HIV testing declined 7=HIV testing not specifically mentioned
UF17_1AA	HIV testing done a--mm (PNV)	
UF17_1AB	HIV testing done a--dd (PNV)	
UF17_1AC	HIV testing done a--yy (PNV)	
UF17_1AD	HIV testing done provider a (PNV)	2-digit provider code 97=not listed
UF17_1BA	HIV testing done b--mm (PNV)	
UF17_1BB	HIV testing done b--dd (PNV)	
UF17_1BC	HIV testing done b--yy (PNV)	
UF17_1BD	HIV testing done provider b (PNV)	2-digit provider code 97=not listed

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UF17_2AA	HIV testing not done a--mm (PNV)	
UF17_2AB	HIV testing not done a--dd (PNV)	
UF17_2AC	HIV testing not done a--yy (PNV)	
UF17_2AD	HIV testing not done provider a (PNV)	2-digit provider code 97=not listed
UF17_2AE	HIV testing not done, reason a (PNV)	0=none given 1=recently tested 2=other
UF172AEA	HIV testing not done, recently tested a--mm (PNV)	
UF172AEC	HIV testing not done, recently tested a--yy (PNV)	
UF17_2AT	HIV testing not done, other text a (PNV)	
UF17_2BA	HIV testing not done b--mm (PNV)	
UF17_2BB	HIV testing not done b--dd (PNV)	
UF17_2BC	HIV testing not done b--yy (PNV)	
UF17_2BD	HIV testing not done provider b (PNV)	2-digit provider code 97=not listed
UF17_2BE	HIV testing not done, reason b (PNV)	0=none given 1=recently tested 2=other
UF172BEA	HIV testing not done, recently tested b--mm (PNV)	
UF172BEC	HIV testing not done, recently tested b--yy (PNV)	
UF17_2BT	HIV testing not done, other text b (PNV)	
UF18	Violence issues flag (PNV)	1=yes 7=not listed
UF18AA	Violence issues flag a--mm (PNV)	
UF18AB	Violence issues flag a--dd (PNV)	
UF18AC	Violence issues flag a--yy (PNV)	
UF18BA	Violence issues flag b--mm (PNV)	
UF18BB	Violence issues flag b--dd (PNV)	
UF18BC	Violence issues flag b--yy (PNV)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UF18CA	Violence issues flag c--mm (PNV)	
UF18CB	Violence issues flag c--dd (PNV)	
UF18CC	Violence issues flag c--yy (PNV)	
	<b>Antepartum Problems (AP)</b>	
UG01	Excessive vomiting (nausea/vomiting, hyperemesis gravidarum) (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG02	Incompetent cervix (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG03	1st or 2nd trimester bleeding (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG04	Premature labor, undelivered (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG05	Premature labor (<37 weeks) (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG06	Death in utero (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG07	Poor fetal growth (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG08	Intrauterine growth retardation (IUGR) (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG09	PROM (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG10	Amnionitis (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG11	Placental abruption (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled



## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG12	Placenta previa (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG13	Third trimester bleeding (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG14	Version attempt, successful (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG15	Version attempt, failed (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG16	Polyhydramnios (too much fluid) (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG17	Oligohydramnios (too little fluid) (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG18	Cephalo pelvic disproportion (CPD) or feto-pelvic disproportion (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG19	Congenital defect flag (AP)	1=yes 7=not listed
UG19A	Congenital defect specified, text (AP)	3-digit defect code
UG20	Acute pyelonephritis (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG21	Acute pyelonephritis organism code (AP)	3-digit organism code
UG22	Cystitis (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG23	Cystitis organism code (AP)	3-digit organism code
UG24	Asymptomatic bacteruria (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG25	Asymptomatic bacteruria organism code (AP)	3-digit organism code

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG26	Recurrent UTI (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG27	Recurrent UTI organism code (AP)	3-digit organism code
UG28	Monilia (yeast) (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG29	Bacterial vaginosis (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG30	Condyloma (warts)/ HPV (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG31	Trichomonas (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG32	Chlamydia (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG33	Group B strep (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG34	Herpes, genital (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG35	Gonorrhea (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG36	Syphilis (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG37	HIV positive (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG38	Hypertension, pre-existing / chronic (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG39	Pregnancy induced hypertension (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG40	Pre-eclampsia (toxemia), mild (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG41	Pre-eclampsia (toxemia), severe (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG42	Eclampsia (toxemia and seizures) (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG43	Gestational diabetes, diet controlled (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG44	Gestational diabetes, insulin dependent (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG45	Pre-existing diabetes, diet controlled (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG46	Pre-existing diabetes, insulin dependent (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG47	Uterine leiomyoma (AP)	1= problem suspected, not proven 2= problem resolved prior to delivery 3= problem active at time of delivery 7=not circled
UG48	Amniocentesis (AP)	1=checked 7=not checked
UG49	Chorionic villus sampling (AP)	1=checked 7=not checked
UG50	PUBS (AP)	1=checked 7=not checked
UG51	Cerclage (AP)	1=checked 7=not checked
UG52	Cervical cryo during pregnancy (AP)	1=checked 7=not checked
UG53	Cervical LEEP during pregnancy (AP)	1=checked 7=not checked

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG54	Cervical laser ablation during pregnancy (AP)	1=checked 7=not checked
UG55	Cervical cold knife cone during pregnancy (AP)	1=checked 7=not checked
UG56	Cervical laser cone during pregnancy (AP)	1=checked 7=not checked
UG57	Cervical biopsy during pregnancy (AP)	1=checked 7=not checked
UG58	<b>Hospitalization During This Pregnancy (H)</b> Hospitalization number (H)	1 2 3 7 (not listed - go to sec H)
UG59A	Date of hospital admission, mm (H)	
UG59B	Date of hospital admission, dd- (H)	
UG59C	Date of hospital admission, yy (H)	
	<b>Hospitalization diagnosis (H)</b>	
UG60A	None of these apply (H)	G.60 <i>Circle all that apply</i> 0=no 1=yes
UG60B	Pregnancy delivered (H)	G.60 <i>Circle all that apply</i> 0=no 1=yes
UG60C	Onset of labor / labor check / contractions / cramps (H)	G.60 <i>Circle all that apply</i> 0=no 1=yes
UG60D	Preterm labor / rule out preterm labor (H)	G.60 <i>Circle all that apply</i> 0=no 1=yes
UG60E	Obs. of fetal status / antenatal testing (H)	G.60 <i>Circle all that apply</i> 0=no 1=yes
UG60F	Induction of labor (H)	G.60 <i>Circle all that apply</i> 0=no 1=yes

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG60G	Version, successful (H)	G.60 Circle all that apply 0=no 1=yes
UG60H	Version, failed (H)	G.60 Circle all that apply 0=no 1=yes
UG60I	Cesarean section (H)	G.60 Circle all that apply 0=no 1=yes
UG60J	Premature rupture of membranes (H)	G.60 Circle all that apply 0=no 1=yes
UG60K	ROM / rule out ROM / fluid leak (H)	G.60 Circle all that apply 0=no 1=yes
UG60L	Vaginal antepartum bleeding (H)	G.60 Circle all that apply 0=no 1=yes
UG60M	Placenta previa (H)	G.60 Circle all that apply 0=no 1=yes
UG60N	Placental abruption (H)	G.60 Circle all that apply 0=no 1=yes
UG60O	Pre-eclampsia, mild (H)	G.60 Circle all that apply 0=no 1=yes
UG60P	Pre-eclampsia, severe (H)	G.60 Circle all that apply 0=no 1=yes
UG60Q	Pre-eclampsia, unspecified degree (H)	G.60 Circle all that apply 0=no 1=yes
UG60R	Eclampsia (H)	G.60 Circle all that apply 0=no 1=yes



## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG60S	Hypertension (H)	G.60 Circle all that apply 0=no 1=yes
UG60T	Abdominal / pelvic pain (H)	G.60 Circle all that apply 0=no 1=yes
UG60U	Nausea / vomiting / dehydr. / hyperemesis gravidarum (H)	G.60 Circle all that apply 0=no 1=yes
UG60V	Pyelonephritis / UTI / bladder infection (H)	G.60 Circle all that apply 0=no 1=yes
UG60W	Pelvic / genital infection (H)	G.60 Circle all that apply 0=no 1=yes
UG60X	Accident / injury (H)	G.60 Circle all that apply 0=no 1=yes
UG60Y	Diabetes (H)	G.60 Circle all that apply 0=no 1=yes
UG60Z	Admitted for diabetes control (glucose control) (H)	G.60 Circle all that apply 0=no 1=yes
UG60AA	Chorioamnionitis / amnionitis (H)	G.60 Circle all that apply 0=no 1=yes
UG60BB	Incompetent cervix (H)	G.60 Circle all that apply 0=no 1=yes
UG60CC	Cerclage placement (H)	G.60 Circle all that apply 0=no 1=yes
UG60DD	Other flag (H)	G.60 Circle all that apply 0=no 1=yes
UG60DDT	Other text (H)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UG61A	Date of hospital discharge, mm (H)	
UG61B	Date of hospital discharge, dd (H)	
UG61C	Date of hospital discharge, yy (H)	
	<b>Assessment on Admission/Labor &amp; Delivery (AA)</b>	
UH01A	Date of hospital admission, mm (AA)	
UH01B	Date of hospital admission, dd (AA)	
UH01C	Date of hospital admission, yy (AA)	
UH01D	Time of hospital admission (AA)	0-24 hours; 0-59 minutes
UH02	Delivery prior to admission (LAD)	1=checked 7=not checked
UH03	Did not labor (LAD)	1=checked 7=not checked
	Onset of labor, date and time (LAD)	
UH04A	Onset of labor, date, mm (LAD)	
UH04B	Onset of labor, date, dd (LAD)	
UH04C	Onset of labor, date, yy (LAD)	
UH04D	Onset of labor, time (LAD)	0-24 hours; 0-59 minutes
UH05	Spontaneous onset of labor (LAD)	1=checked 7=not checked
UH06A	Induced labor, medically (oxytocin, drugs) (LAD)	1=checked 7=not checked
UH06B	Induced labor, surgically (AROM) (LAD)	1=checked 7=not checked
UH07A	Augmented labor, medically (LAD)	1=checked 7=not checked
UH07B	Augmented labor, surgically (AROM) (LAD)	1=checked 7=not checked
	Rupture of membranes, date and time (LAD)	
UH08A	Date of ROM, mm (LAD)	
UH08B	Date of ROM, dd (LAD)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UH08C	Date of ROM, yy (LAD)	
UH08D	Time of ROM (LAD)	0-24 hours; 0-59 minutes
UH09	Spontaneous ROM (LAD)	1=checked 7=not checked
UH10	Artificial ROM (LAD)	1=checked 7=not checked
UH11	Presentation (LAD)	1=vertex 2=face or brow 3=frank breech 4=footling breech 5=complete breech 6=other / unspecified breech 7=compound 8=persistent occiput posterior 9=transverse lie 10=transverse arrest 11=other / unknown 97=no boxes checked
	Medications in labor (LAD)	
UH12A	Labor med code a (LAD)	4-digit medication code
UH12B	Labor med code b (LAD)	4-digit medication code
UH12C	Labor med code c (LAD)	4-digit medication code
UH12D	Labor med code d (LAD)	4-digit medication code
UH12E	Labor med code e (LAD)	4-digit medication code
UH12F	Labor med code f (LAD)	4-digit medication code
	Delivery, date and time (LAD)	
UH13A	Date of delivery, mm (LAD)	
UH13B	Date of delivery, dd (LAD)	
UH13C	Date of delivery, yy (LAD)	
UH13D	Time of delivery (LAD)	0-24 hours; 0-59 minutes

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UH14	Cephalic vaginal delivery (LAD)	1=any type of vaginal delivery checked 7=none checked
UH15	Breech vaginal delivery (LAD)	1=breech checked 7=not checked
UH16	C-section, primary / repeat (LAD)	1=primary 2=repeat 7=not checked
UH17	C-section, planned/elective/failed VBAC/emergent (LAD)	1=planned/elective 2=emergent 3=failed VBAC 7=not checked
UH18	C-section, uterine incision (LAD)	1=low transverse 2=low vertical 3=classical 4=cesarean hysterectomy 5=other 7=none checked
	<b>Other surgery at time of delivery (LAD)</b>	
UH19A	None of these apply (LAD)	H.19 Circle all that apply 0=not circled 1=circled
UH19B	Episiotomy (LAD)	H.19 Circle all that apply 0=not circled 1=circled
UH19C	Tubal ligation, intrapartum (LAD)	H.19 Circle all that apply 0=not circled 1=circled
	<b>Infant</b>	
UH20	Infant's hospital record # (LAD)	
UH21A	Gestational age, weeks (LAD)	
UH21B	Gestational age, days (LAD)	
UH22	Baby's gender (LAD)	1=male 2=female 7=not listed
UH23A	Apgar score at 1 minute (LAD)	0-10

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UH23B	Apgar score at 5 minutes (LAD)	0-10
UH24	Stillborn (LAD)	1=checked 7=not checked
UH25	Weight of infant (g) (LAD)	9997=not listed
	<b>Complications of Labor and Delivery (CLD)</b>	
UI01	Prolapse of umbilical cord (CLD)	1=checked 7=not checked
	Placenta and membrane problems (CLD)	
UI02A	<i>None are checked (CLD)</i>	1.2 Circle all that apply 0=not circled 1=circled
UI02B	<i>Amnionitis (CLD)</i>	1.2 Circle all that apply 0=not circled 1=circled
UI02C	<i>Placental abruption (CLD)</i>	1.2 Circle all that apply 0=not circled 1=circled
UI02D	<i>Retained placenta (CLD)</i>	1.2 Circle all that apply 0=not circled 1=circled
UI02E	<i>Intrapartum fever of unknown origin; febrile &gt;=100.4° (CLD)</i>	1.2 Circle all that apply 0=not circled 1=circled
UI02F	<i>Placenta and membrane problems, other flag (CLD)</i>	1.2 Circle all that apply 0=not circled 1=circled
UI02FT	<i>Placenta and membrane problems, other text (CLD)</i>	
	Hemorrhage postpartum (< 24 hours) (CLD)	
UI03A	<i>None are checked (CLD)</i>	1.3 Circle all that apply 0=not circled 1=circled
UI03B	<i>Retained placenta/placental fragments (CLD)</i>	1.3 Circle all that apply 0=not circled 1=circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UI03C	Postpartum hemorrhage (< 24 hours) (CLD)	1.3 Circle all that apply 0=not circled 1=circled
UI04	Intrapartum hypertensive disorders (CLD)	1=pre-eclampsia 2=eclampsia 3=hypertension, unspecified 4=other 7=none are checked
UI04T	Intrapartum hypertensive disorders, other text (CLD)	
UI05	Cephalopelvic disproportion (CLD)	1=checked 7=not checked
	Lacerations (CLD)	
UI06A	No boxes are checked (CLD)	1.6 Circle all that apply 0=not circled 1=circled
UI06B	1st degree perineal laceration (CLD)	1.6 Circle all that apply 0=not circled 1=circled
UI06C	2nd degree perineal laceration (CLD)	1.6 Circle all that apply 0=not circled 1=circled
UI06D	3rd degree perineal laceration (CLD)	1.6 Circle all that apply 0=not circled 1=circled
UI06E	4th degree perineal laceration (CLD)	1.6 Circle all that apply 0=not circled 1=circled
UI06F	Vaginal laceration (CLD)	1.6 Circle all that apply 0=not circled 1=circled
UI06G	Cervical laceration (CLD)	1.6 Circle all that apply 0=not circled 1=circled
UI07	Hemorrhage >24 hours postpartum (CLD)	1=checked 7=not checked

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UI08	Pre-eclampsia (after delivery) (CLD)	1=checked 7=not checked
UI09	Eclampsia (after delivery) (CLD)	1=checked 7=not checked
UI10	Endometritis (pelvic infection) (CLD)	1=checked 7=not checked
UI11	Tubal ligation, postpartum (CLD)	1=checked 7=not checked
	<b>Obstetrical Discharge Summary (ODS)</b>	
UJ01	Infant disposition (ODS)	1=home or NBN 2=NICU or Intermediate Care Nursery 3=Expired 4=Other 7=None are checked
UJ02A	Date of discharge--mm (ODS)	
UJ02B	Date of discharge--dd (ODS)	
UJ02C	Date of discharge--yy (ODS)	
UJ03	Breastfeeding at discharge (ODS)	0=no 1=yes 7=none are checked
UJ04	Birth control planned (ODS)	1=none (patient's choice) 2=oral contraceptive 3=norplant 4=foam and condoms 5=diaphragm 6=IUD 7=BTL, done 8=BTL planned 4-8 weeks 9=depo provera 10=partner vasectomy 11=other 97=none are checked
UJ04T	Birth control planned, other text (ODS)	
	<b>Labor and Delivery Screening Summary (LDS)</b>	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UK01A	Labor and Delivery Screening Summary Page number (LDS)	
UK01B	Labor and Delivery Screening Summary total pages (LDS)	
	Labor and Delivery Screening, date and time (LDS)	
UK02A	Labor and Delivery Screening, mm (LDS)	
UK02B	Labor and Delivery Screening, dd (LDS)	
UK02C	Labor and Delivery Screening, yy (LDS)	
UK02D	Labor and Delivery Screening, time (LDS)	0-24 hours, 0-59 minutes
	Reason for visit (LDS)	
UK03A	None of these apply (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03B	Pregnancy delivered (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03C	Onset of labor / labor check / contractions / cramps (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03D	Preterm labor / rule out preterm labor (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03E	Obs. of fetal status / antenatal testing (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03F	Induction of labor (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03G	Version, successful (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03H	Version, failed (LDS)	K.3 Circle all that apply 0=not circled 1=circled



## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UK03I	Cesarean section (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03J	Premature rupture of membranes (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03K	ROM / rule out ROM / fluid leak (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03L	Vaginal antepartum bleeding (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03M	Placenta previa (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03N	Placental abruption (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03O	Pre-eclampsia, mild (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03P	Pre-eclampsia, severe (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03Q	Pre-eclampsia, unspecified degree (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03R	Eclampsia (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03S	Hypertension (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03T	Abdominal / pelvic pain (LDS)	K.3 Circle all that apply 0=not circled 1=circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UK03U	Nausea / vomiting / dehydr. / hyperemesis gravidarum (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03V	Pyelonephritis / UTI / bladder infection (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03W	Pelvic / genital infection (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03X	Accident / injury (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03Y	Diabetes (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03Z	Admitted for diabetes control (glucose control) (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03AA	Chorioamnionitis / amnionitis (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03BB	Incompetent cervix (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03CC	Cerclage placement (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03DD	Other flag (LDS)	K.3 Circle all that apply 0=not circled 1=circled
UK03DDT	Other text (LDS)	
UK04A	Wet prep, bacterial vaginosis (LDS)	0=no 1=yes 7=not listed
UK04B	Wet prep, yeast (LDS)	0=no 1=yes 7=not listed

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UK04C	Wet prep, trichomonas (LDS)	0=no 1=yes 7=not listed
UK05A	Cervical dilation (LDS)	1=1 cm 2=2 cm 3=3 cm 4=4 cm 5=5 cm 6=greater than 5 cm 7=closed 8=fingertip 97=not listed
UK05B	Cervical effacement (LDS)	1=long 2=0 to 20% 3=21 to 40% 4=41 to 60% 5=61 to 80% 6=81 to 100% 7=1 cm 8=2 cm 9=3 cm 10=4 cm 97=not listed
UK05C	Cervical position (LDS)	1=high or posterior 2=ballotable 3= -3 to 0 or "mid" 4= +1 to +3 97=not listed
<b>Laboratory Results Page</b>		
UL01	Blood type	1=A 2=B 3=O 4=AB
UL02	Rh type	1=negative 2=positive
UL03	Antibody screen	1=negative 2=positive
UL03A	Antibody name	3-digit code
UL04	Hepatitis B	1=negative 2=positive

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UL04A	Hepatitis B, mm	
UL04B	Hepatitis B, dd	
UL04C	Hepatitis B, yy	
UL05	Diabetes screen (O'Sullivan)	3-digit numeric range
UL05A	Diabetes screen, mm	
UL05B	Diabetes screen, dd	
UL05C	Diabetes screen, yy	
UL06	Glucose tolerance test, 3-hr GTT, fasting	3-digit numeric range
UL06A	Glucose tolerance test, 3-hr GTT, mm	
UL06B	Glucose tolerance test, 3-hr GTT, dd	
UL06C	Glucose tolerance test, 3-hr GTT, yy	
UL07	Glucose tolerance test, 3-hr GTT, 1 hour	3-digit numeric range
UL08	Glucose tolerance test, 3-hr GTT, 2 hour	3-digit numeric range
UL09	Glucose tolerance test, 3-hr GTT, 3 hour	3-digit numeric range
UL10	Hct (hematocrit) 1	
UL10A	Hct 1, mm	
UL10B	Hct 1, dd	
UL10C	Hct 1, yy	
UL11	WBC (white blood cell count x 1000) 1	
UL11A	WBC 1, mm	
UL11B	WBC 1, dd	
UL11C	WBC 1, yy	
UL12	Hct (hematocrit) 2	
UL12A	Hct 2, mm	
UL12B	Hct 2, dd	
UL12C	Hct 2, yy	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UL13	WBC (white blood cell count x 1000)2	
UL13A	WBC 2, mm	
UL13B	WBC 2, dd	
UL13C	WBC 2, yy	
UL14	Hct (hematocrit) 3	
UL14A	Hct 3, mm	
UL14B	Hct 3, dd	
UL14C	Hct 3, yy	
UL15	WBC (white blood cell count x 1000) 3	
UL15A	WBC 3, mm	
UL15B	WBC 3, dd	
UL15C	WBC 3, yy	
UL16	Sickle	1=HbAA 2=HbAS 3=HbSS 4=HbAC 5=HbAS 6=HbAF 7=A2
UL17	GC (gonorrhea) total # tests	
UL18	GC (gonorrhea) # positives	
UL19A	GC (gonorrhea) last pos., mm	
UL19B	GC (gonorrhea) last pos., dd	
UL19C	GC (gonorrhea) last pos., yy	
UL20	GC (gonorrhea) last neg./inadeq.	1=absent (negative) 2=inadequate specimen
UL20A	GC (gonorrhea) last neg., mm	
UL20B	GC (gonorrhea) last neg., dd	
UL20C	GC (gonorrhea) last neg., yy	
UL21	Chlamydia total # tests	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UL22	Chlamydia # positives	
UL23A	Chlamydia last pos, mm	
UL23B	Chlamydia last pos, dd	
UL23C	Chlamydia last pos, yy	
UL24	Chlamydia last neg/inadeq	1=absent (negative) 2=inadequate specimen
UL24A	Chlamydia last neg, mm	
UL24B	Chlamydia last neg, dd	
UL24C	Chlamydia last neg, yy	
UL25	Beta strep total # tests	
UL26	Beta strep # positives	
UL27	Beta strep last neg/inadeq	1=absent (negative) 2=inadequate specimen
UL27A	Beta strep last neg, mm	
UL27B	Beta strep last neg, dd	
UL27C	Beta strep last neg, yy	
UL28A	Beta strep last pos, mm	
UL28B	Beta strep last pos, dd	
UL28C	Beta strep last pos, yy	
UL29	Urine culture total # tests	
UL30	Urine culture # positives	
UL31A	Urine culture last pos., mm	
UL31B	Urine culture last pos., dd	
UL31C	Urine culture last pos., yy	
UL31D	Urine culture last pos. pathogen	3-digit pathogen code
UL32	Urine culture last neg./inadeq.	1=absent (negative) 2=inadequate specimen
UL32A	Urine culture last neg., mm	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UL32B	Urine culture last neg., dd	
UL32C	Urine culture last neg., yy	
UL33	Wet prep total # tests	
UL34	Wet prep BV # positives	
UL35A	Wet prep BV last pos, mm	
UL35B	Wet prep BV last pos, dd	
UL35C	Wet prep BV last pos, yy	
UL36	Wet prep BV last neg/inadeq	1=absent (negative) 2=inadequate specimen
UL36A	Wet prep BV last neg, mm	
UL36B	Wet prep BV last neg, dd	
UL36C	Wet prep BV last neg, yy	
UL37	Wet prep yeast # positives	
UL38A	Wet prep yeast last pos, mm	
UL38B	Wet prep yeast last pos, dd	
UL38C	Wet prep yeast last pos, yy	
UL39	Wet prep yeast last neg/inadeq	1=absent (negative) 2=inadequate specimen
UL39A	Wet prep yeast last neg, mm	
UL39B	Wet prep yeast last neg, dd	
UL39C	Wet prep yeast last neg, yy	
UL40	Wet prep trichomonas # positives	
UL41A	Wet prep trichomonas last pos, mm	
UL41B	Wet prep trichomonas last pos, dd	
UL41C	Wet prep trichomonas last pos, yy	
UL42	Wet prep trichomonas last neg/inadeq	1=absent (negative) 2=inadequate specimen
UL42A	Wet prep trichomonas last neg, mm	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UL42B	Wet prep trichomonas last neg, dd	
UL42C	Wet prep trichomonas last neg, yy	
UL43	Rubella	1=immune, detected (pos) 2=non-immune (neg)
UL44	VDRL / RPR (syphilis) total # tests	
UL45	VDRL / RPR (syphilis) # positives	
UL46A	VDRL / RPR (syphilis) last pos., mm	
UL46B	VDRL / RPR (syphilis) last pos., dd	
UL46C	VDRL / RPR (syphilis) last pos., yy	
UL47	VDRL / RPR (syphilis) last neg./inadeq.	1=absent (negative) 2=inadequate specimen
UL47A	VDRL / RPR (syphilis) last neg., mm	
UL47B	VDRL / RPR (syphilis) last neg., dd	
UL47C	VDRL / RPR (syphilis) last neg., yy	
UL48	Dark field microscopy (syphilis)	1=negative 2=positive (spirochetes) 3=inadequate specimen
UL48A	Dark field microscopy (syphilis), mm	
UL48B	Dark field microscopy (syphilis), dd	
UL48C	Dark field microscopy (syphilis), yy	
UL49	FTA-ABS / MHA-TP (syphilis)	1=negative 2=positive 3=inadequate specimen
UL49A	FTA-ABS / MHA-TP (syphilis), mm	
UL49B	FTA-ABS / MHA-TP (syphilis), dd	
UL49C	FTA-ABS / MHA-TP (syphilis), yy	
UL50	HIV total # tests	
UL51	HIV # positives	
UL51A	HIV last pos, mm	



## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UL51B	HIV last pos, dd	
UL51C	HIV last pos, yy	
UL52	HIV last neg/inadeq	1=negative 2=positive 3=inadequate specimen
UL52A	HIV last neg, mm	
UL52B	HIV last neg, dd	
UL52C	HIV last neg, yy	
UL54	Urine drug screen, total # tests	
UL55	Urine drug screen, THC, # positives	
UL56A	Urine drug screen, THC, last pos, mm	
UL56B	Urine drug screen, THC, last pos, dd	
UL56C	Urine drug screen, THC, last pos, yy	
UL57A	Urine drug screen, THC, last neg, mm	
UL57B	Urine drug screen, THC, last neg, dd	
UL57C	Urine drug screen, THC, last neg, yy	
UL58	Urine drug screen, opiates, # positives	
UL59A	Urine drug screen, opiates, last pos, mm	
UL59B	Urine drug screen, opiates, last pos, dd	
UL59C	Urine drug screen, opiates, last pos, yy	
UL60A	Urine drug screen, opiates, last neg, mm	
UL60B	Urine drug screen, opiates, last neg, dd	
UL60C	Urine drug screen, opiates, last neg, yy	
UL61	Urine drug screen, barbiturates, # positives	
UL62A	Urine drug screen, barbiturates, last pos, mm	
UL62B	Urine drug screen, barbiturates, last pos, dd	
UL62C	Urine drug screen, barbiturates, last pos, yy	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UL63A	Urine drug screen, barbiturates, last neg, mm	
UL63B	Urine drug screen, barbiturates, last neg, dd	
UL63C	Urine drug screen, barbiturates, last neg, yy	
	<b>Nurse Screening OB/GYN Clinic Page (NSO)</b>	
UM01A	Nurse Screening OB/GYN clinic Page number (NSO)	
UM01B	Nurse Screening OB/GYN clinic total pages (NSO)	
UM02A	Nurse Screening, mm (NSO)	
UM02B	Nurse Screening, dd (NSO)	
UM02C	Nurse Screening, yy (NSO)	
UM03A	Cervical dilation (NSO)	1=1 cm 2=2 cm 3=3 cm 4=4 cm 5=5 cm 6=greater than 5 cm 7=closed 8=fingertip 97=not listed
UM03B	Cervical effacement (NSO)	1=long 2=0 to 20% 3=21 to 40% 4=41 to 60% 5=61 to 80% 6=81 to 100% 7=1 cm 8=2 cm 9=3 cm 10=4 cm 97=not listed
UM03C	Cervical position (NSO)	1=high or posterior 2=ballotable 3= -3 to 0 or "mid" 4= +1 to +3 97=not listed
UM04A	Wet prep, bacterial vaginosis (NSO)	0=no 1=yes 7=listed

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UM04B	Wet prep, yeast (NSO)	0=no 1=yes 7=listed
UM04C	Wet prep, trichomonas (NSO)	0=no 1=yes 7=listed
	Nurse Screening reason for visit (NSO)	
UM05A	None of these apply (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05B	Pregnancy delivered (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05C	Onset of labor / labor check / contractions / cramps (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05D	Preterm labor / rule out preterm labor (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05E	Obs. of fetal status / antenatal testing (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05F	Induction of labor (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05G	Version, successful (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05H	Version, failed (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05I	Cesarean section (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05J	Premature rupture of membranes (NSO)	M.5 Circle all that apply: 0=not circled 1=circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UM05K	ROM / rule out ROM / fluid leak (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05L	Vaginal antepartum bleeding (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05M	Placenta previa (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05N	Placental abruption (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05O	Pre-eclampsia, mild (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05P	Pre-eclampsia, severe (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05Q	Pre-eclampsia, unspecified degree (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05R	Eclampsia (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05S	Hypertension (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05T	Abdominal / pelvic pain (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05U	Nausea / vomiting / dehydr. / hyperemesis gravidarum (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05V	Pyelonephritis / UTI / bladder infection (NSO)	M.5 Circle all that apply: 0=not circled 1=circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UM05W	Pelvic / genital infection (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05X	Accident / injury (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05Y	Diabetes (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05Z	Admitted for diabetes control (glucose control) (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05AA	Chorioamnionitis / amnionitis (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05BB	Incompetent cervix (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05CC	Cerclage placement (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05DD	Other flag (NSO)	M.5 Circle all that apply: 0=not circled 1=circled
UM05DDT	Other text (NSO)	
	<b>Discharge Summary Page (DS)</b>	
UN01A	Discharge Summary Page number (DS)	
UN01B	Discharge Summary total pages (DS)	
UN02A	Date of admission--mm (DS)	
UN02B	Date of admission--dd (DS)	
UN02C	Date of admission--yy (DS)	
UN03A	Date of discharge--mm (DS)	
UN03B	Date of discharge--dd (DS)	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UN03C	Date of discharge--yy (DS)	
	Final Diagnosis (DS)	
UN04A	None of these apply (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04B	Pregnancy delivered (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04C	Onset of labor / labor check / contractions / cramps (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04D	Preterm labor / rule out preterm labor (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04E	Obs. of fetal status / antenatal testing (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04F	Induction of labor (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04G	Version, successful (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04H	Version, failed (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04I	Cesarean section (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04J	Premature rupture of membranes (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04K	ROM / rule out ROM / fluid leak (DS)	N.4 Circle all that apply: 0=not circled 1=circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UN04L	Vaginal antepartum bleeding (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04M	Placenta previa (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04N	Placental abruption (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04O	Pre-eclampsia, mild (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04P	Pre-eclampsia, severe (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04Q	Pre-eclampsia, unspecified degree (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04R	Eclampsia (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04S	Hypertension (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04T	Abdominal / pelvic pain (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04U	Nausea / vomiting / dehydr. / hyperemesis gravidarum (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04V	Pyelonephritis / UTI / bladder infection (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04W	Pelvic / genital infection (DS)	N.4 Circle all that apply: 0=not circled 1=circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UN04X	Accident / injury (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04Y	Diabetes (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04Z	Admitted for diabetes control (glucose control) (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04AA	Chorioamnionitis / amnionitis (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04BB	Incompetent cervix (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04CC	Cerclage placement (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04DD	Other flag (DS)	N.4 Circle all that apply: 0=not circled 1=circled
UN04DDT	Other text (DS)	
	<b>Ultrasound Report Page (UR)</b>	
UO01	How many Ultrasound Report Pages (UR)	count
UO02	Ultrasound number (UR)	
UO03A	Ultrasound date--mm (UR)	
UO03B	Ultrasound date--dd (UR)	
UO03C	Ultrasound date--yy (UR)	
UO04	Ultrasound gestation weeks (UR)	
UO05	Ultrasound gestation days (UR)	
UO06	Ultrasound femur length (UR)	
UO07	Ultrasound abdominal circumference (UR)	
UO08	Ultrasound head circumference (UR)	



## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UO09	Ultrasound biparietal diameter (UR)	
UO10	Ultrasound estimated fetal weight (UR)	
	<b>Karyotype Report Page (KR)</b>	
UP01	Fetal Karyotype Report (KR)	0=no 1=yes
UP02A	Fetal Karyotype date--mm (KR)	
UP02B	Fetal Karyotype date--dd (KR)	
UP02C	Fetal Karyotype date--yy (KR)	
UP03	Fetal Karyotype number of chromosomes (KR)	
UP04A	Fetal sex chromosomes, number of X (KR)	
UP04B	Fetal sex chromosomes, number of Y (KR)	
UP05	Fetal Karyotype abnormalities (KR)	0=no 1=yes
UP06	Maternal Karyotype Report (KR)	0=no 1=yes
UP07A	Maternal Karyotype date--mm (KR)	
UP07B	Maternal Karyotype date--dd (KR)	
UP07C	Maternal Karyotype date--yy (KR)	
UP08	Maternal Karyotype number of chromosomes (KR)	
UP09A	Maternal sex chromosomes, number of X (KR)	
UP09B	Maternal sex chromosomes, number of Y (KR)	
UP10	Maternal Karyotype abnormalities (KR)	0=no 1=yes
	<b>Placental Pathology Report Page (PP)</b>	
UQ01	Any Placental Pathology Report Pages (PP)	0=no 1=yes
	Placental Patholgy Report	

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UQ02A	none of these conditions apply (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02B	abruption, acute (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02C	abruption, chronic (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02D	chorioamnionitis, acute (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02E	chorioamnionitis, chronic (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02F	hemorrhage (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02G	infarction (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02H	inflammation, acute (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02I	inflammation, chronic (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02J	ischemia or ischemic changes (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02K	meconium staining (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02L	membranous cord insertion (PP)	Q.2 Circle all that apply: 0=not circled 1=circled

## PIN STUDY - UNC MEDICAL ABSTRACT CODEBOOK

Note: All variables are numeric variables unless described as "other text" or "set sequence letter"

VARIABLE NAME	DESCRIPTION	COMMENT
UQ02M	true knot in umbilical cord (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02N	two vessel umbilical cord (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02O	other placental abnormality flag (PP)	Q.2 Circle all that apply: 0=not circled 1=circled
UQ02OT	other placental abnormality text (PP)	
UQ03	Placental weight (g) (PP)	
	<b>Questions About/Problems With Chart Abstraction</b>	
UCOM1	Comment / text (QP)	
UCOM2	Comment / text (QP)	
UCOM3	Comment / text (QP)	
UCOM4	Comment / text (QP)	
UCOM5	Comment / text (QP)	
UCOM6	Comment / text (QP)	
UR01	Start time (QP)	
UR02	End time (QP)	
UR03	Reviewer ID (QP)	