

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-------------------|---|--------------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| Range of Values | | Frequency Category | | | | | | |
| BESTEDC2 | Best Gest. Age for Study: SAS date | Num | MMDDYY | 8 | 2006 | 15994.082 | | |
| 06/05/01-12/22/05 | | | | | | | | |
| CHANGE1 | Flag - Phone 1 missings changed to zero | Num | MISS | 8 | 31 | 1 | | |
| . | Missing | | | | | | 1975 | 98.45 |
| 1 | Bleeding once | | | | | | 31 | 1.55 |
| CHANGE2 | Flag - Phone 2 missings changed to zero | Num | MISS | 8 | 50 | 1 | | |
| . | Missing | | | | | | 1956 | 97.51 |
| 1 | Bleeding once | | | | | | 50 | 2.49 |
| C_AWG | Adequacy of weight gain | Num | GAIN | 8 | 1768 | 2.4909502 | | |
| . | Missing | | | | | | 238 | 11.86 |
| 1 | Inadequate | | | | | | 263 | 13.11 |
| 2 | Adequate | | | | | | 374 | 18.64 |
| 3 | Excessive | | | | | | 1131 | 56.38 |
| C_BMI | BODY MASS INDEX (C) | Num | | 8 | 1898 | 26.027698 | | |
| 14.56-74.07 | | | | | | | | |
| C_BMIOM | NEW BODY MASS INDEX, IOM CATEGORIES (C) | Num | BMI | 8 | 1898 | 2.4863014 | | |
| . | Missing | | | | | | 108 | 5.38 |
| 1 | Low [< 19.8] | | | | | | 266 | 13.26 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|--|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| 2 | Normal [19.8 <=bmi <=26.0] | | | | | | 930 | 46.36 |
| 3 | Overweight [26.0 < bmi <=29.0] | | | | | | 215 | 10.72 |
| 4 | Obese [bmi > 29.0] | | | | | | 487 | 24.28 |
| C_BRACE | BABY'S RACE BASED ON MOTHER & FATHER (C) | Num | RACE | 8 | 2003 | 1.6979531 | | |
| . | Missing | | | | | | 3 | 0.15 |
| 1 | White | | | | | | 1251 | 62.36 |
| 2 | Black | | | | | | 503 | 25.07 |
| 3 | American Indian | | | | | | 21 | 1.05 |
| 4 | Asian or Pacific Islander | | | | | | 80 | 3.99 |
| 5 | Other | | | | | | 141 | 7.03 |
| 8 | Hispanic | | | | | | 7 | 0.35 |
| C_BVCAT | BV CAT, 1=NEG, 2=INTERMEDIATE, 3=POS BV | Num | BV | 8 | 796 | 1.3806533 | | |
| . | Missing | | | | | | 1210 | 60.32 |
| 1 | Negative | | | | | | 571 | 28.46 |
| 2 | Intermediate | | | | | | 147 | 7.33 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|---|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| 3 | Positive | | | | | 78 | | 3.89 |
| C_BWT | BABY'S BIRTH WEIGHT FOR INDEX PREG (C) | Num | | 8 | 1939 | 3276.0887 | | |
| | 194.00-9999.00 | | | | | | | |
| C_CASE2 | PRETERM OR TERM BIRTH (C) | Num | CASE | 8 | 1942 | 0.146241 | | |
| . | Missing | | | | | 64 | | 3.19 |
| 0 | Term | | | | | 1658 | | 82.65 |
| 1 | Preterm | | | | | 284 | | 14.16 |
| C_CIG16 | avg # of cigs/day smoked months 1-6 | Num | | 8 | 1666 | 0.8729892 | | |
| | 0.00-23.80 | | | | | | | |
| C_CIG16A | smoked months 1-6: 1=no, 0=yes | Num | NOYES | 8 | 1666 | 0.8781513 | | |
| . | Missing | | | | | 340 | | 16.95 |
| 0 | No | | | | | 203 | | 10.12 |
| 1 | Yes | | | | | 1463 | | 72.93 |
| C_CIG16B | smk months 1-6: 4=0,1=1-9,2=10-19,3=20+ | Num | SMK | 8 | 1666 | 3.6812725 | | |
| . | Missing | | | | | 340 | | 16.95 |
| 1 | 1-9 cigarettes per day | | | | | 139 | | 6.93 |
| 2 | 10-19 cigarettes per day | | | | | 50 | | 2.49 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|--|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| 3 | 20+ cigarettes per day | | | | | | 14 | 0.70 |
| 4 | None | | | | | | 1463 | 72.93 |
| C_DELGS2 | GESTATIONAL AGE IN WEEKS AT DELIVERY (C) | Num | | 8 | 1942 | 38.162719 | | |
| | 13.00-43.00 | | | | | | | |
| C_DNA | DNA Consent Granted? 0=NO/1=YES | Num | NOYES | 8 | 2006 | 0.5518445 | | |
| | 0 No | | | | | | 899 | 44.82 |
| | 1 Yes | | | | | | 1107 | 55.18 |
| C_ECLAMP | PRE-ECLAMPSIA | Num | NOYES | 8 | 1856 | 0.0538793 | | |
| | . Missing | | | | | | 150 | 7.48 |
| | 0 No | | | | | | 1756 | 87.54 |
| | 1 Yes | | | | | | 100 | 4.99 |
| C_ECLMP2 | Pre-eclampsia, using prenatal visit data | Num | NOYES | 8 | 1856 | 0.0506466 | | |
| | . Missing | | | | | | 150 | 7.48 |
| | 0 No | | | | | | 1762 | 87.84 |
| | 1 Yes | | | | | | 94 | 4.69 |
| C_GDM | GESTATIONAL DIABETES | Num | NOYES | 8 | 1856 | 0.0398707 | | |
| | . Missing | | | | | | 150 | 7.48 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|---|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| 0 | No | | | | | | 1782 | 88.83 |
| 1 | Yes | | | | | | 74 | 3.69 |
| C_GLU_1 | FIRST O'SULLIVAN | Num | | 8 | 1696 | 107.26828 | | |
| | 37.00-327.00 | | | | | | | |
| C_GSDAY2 | GESTATIONAL AGE IN DAYS AT DELIVERY (C) | Num | | 8 | 1942 | 270.1035 | | |
| | 97.00-304.00 | | | | | | | |
| C_GSDBL1 | GESTATIONAL AGE IN DAYS AT BLOOD #1 | Num | | 8 | 1763 | 123.47476 | | |
| | 63.00-167.00 | | | | | | | |
| C_GSDBL2 | GESTATIONAL AGE IN DAYS AT BLOOD #2 | Num | | 8 | 1681 | 188.34801 | | |
| | 162.00-216.00 | | | | | | | |
| C_GSDPH1 | GESTATIONAL AGE IN DAYS AT PHONE Q #1 | Num | | 8 | 1823 | 135.27372 | | |
| | 102.00-186.00 | | | | | | | |
| C_GSDPH2 | GESTATIONAL AGE IN DAYS AT PHONE Q #2 | Num | | 8 | 1670 | 201.06946 | | |
| | 176.00-222.00 | | | | | | | |
| C_GSDREC | GESTATIONAL AGE IN DAYS AT RECRUITMENT | Num | | 8 | 2006 | 106.12712 | | |
| | 36.00-167.00 | | | | | | | |
| C_GSDSA1 | GESTATIONAL AGE IN DAYS AT SALIVA #1 | Num | | 8 | 1857 | 120.42057 | | |
| | 37.00-204.00 | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|---|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| C_GSDSA2 | GESTATIONAL AGE IN DAYS AT SALIVA #2 | Num | | 8 | 1727 | 188.29473 | | |
| | 162.00-216.00 | | | | | | | |
| C_GSDSQ1 | GESTATIONAL AGE IN DAYS AT SAQ #1 | Num | | 8 | 1685 | 115.58872 | | |
| | 36.00-261.00 | | | | | | | |
| C_GSDSQ2 | GESTATIONAL AGE IN DAYS AT SAQ #2 | Num | | 8 | 1417 | 197.02329 | | |
| | 145.00-553.00 | | | | | | | |
| C_GSDU1 | GEST AGE IN DAYS AT U/S, PIN3 (NOT 3+) | Num | | 8 | 583 | 184.54545 | | |
| | 162.00-211.00 | | | | | | | |
| C_GSDU15 | GEST AGE IN DAYS AT U/S, PIN3+ WK 15-20 | Num | | 8 | 864 | 126.20718 | | |
| | 87.00-167.00 | | | | | | | |
| C_GSDU24 | GEST AGE IN DAYS AT U/S, PIN3+ WK 24-29 | Num | | 8 | 843 | 190.50059 | | |
| | 168.00-216.00 | | | | | | | |
| C_HYPER | CHRONIC HYPERTENSION | Num | NOYES | 8 | 1856 | 0.0797414 | | |
| | . | | | | | | 150 | 7.48 |
| | 0 | No | | | | | 1708 | 85.14 |
| | 1 | Yes | | | | | 148 | 7.38 |
| C_INCHES | MOTHER'S HEIGHT (C) | Num | | 8 | 1899 | 64.890879 | | |
| | 51.50-77.75 | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-----------------|--|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| Range of Values | | | | | | | Frequency | Percent |
| C_IOMWT | ADEQUACY OF WEIGHT GAIN INDEX | Num | | 8 | 1773 | 1.5349834 | | |
| -2.76-7.98 | | | | | | | | |
| C_KIDS | Children currently living in home | Num | | 8 | 1822 | 0.8304061 | | |
| 0.00-7.00 | | | | | | | | |
| C_LBS | MOM'S PRE-PREG WEIGHT-SOME IMPUTED (C) | Num | | 8 | 1970 | 156.04547 | | |
| 80.00-458.00 | | | | | | | | |
| C_LBW | LOW BIRTHWEIGHT STATUS--3 LEVEL (C) | Num | LBW | 8 | 1932 | 2.8747412 | | |
| . | Missing | | | | | | 31 | 1.55 |
| .Y | Special Missing 'Y' | | | | | | 43 | 2.14 |
| 1 | < 1500g | | | | | | 50 | 2.49 |
| 2 | 1500 to < 2500g | | | | | | 142 | 7.08 |
| 3 | 2500+g | | | | | | 1740 | 86.74 |
| C_LIVEB | PREVIOUS LIVE BIRTHS (C) | Num | | 8 | 1823 | 0.7855184 | | |
| 0.00-7.00 | | | | | | | | |
| C_MAGE0 | MOTHER'S AGE AT START OF PREGNANCY | Num | | 8 | 2006 | 28.837488 | | |
| 16.00-47.00 | | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-----------------|---------------------------------|--------------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| Range of Values | | Frequency Category | | | | | | |
| C_MARITA | MOTHER'S MARITAL STATUS (C) | Num | MARRIED | 8 | 1996 | 1.8251503 | | |
| . | Missing | | | | | | 10 | 0.50 |
| 1 | Single | | | | | | 485 | 24.18 |
| 2 | Married | | | | | | 1425 | 71.04 |
| 3 | Separated | | | | | | 40 | 1.99 |
| 4 | Divorced | | | | | | 42 | 2.09 |
| 5 | Widowed | | | | | | 4 | 0.20 |
| C_METHNI | MOTHER'S HISPANIC ETHNICITY (C) | Num | ETH | 8 | 1827 | 0.0492611 | | |
| . | Missing | | | | | | 179 | 8.92 |
| 0 | Not Hispanic | | | | | | 1737 | 86.59 |
| 1 | Hispanic | | | | | | 90 | 4.49 |
| C_MOMEDU | MOTHER'S EDUCATION (C) | Num | | 8 | 1997 | 15.271407 | | |
| 6.00-21.00 | | | | | | | | |
| C_MRACE | MOTHER'S RACE (C) | Num | RACE | 8 | 2005 | 1.6503741 | | |
| . | Missing | | | | | | 1 | 0.05 |
| 1 | White | | | | | | 1382 | 68.89 |
| 2 | Black | | | | | | 434 | 21.64 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|--|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| 3 | American Indian | | | | | | 15 | 0.75 |
| 4 | Asian or Pacific Islander | | | | | | 63 | 3.14 |
| 5 | Other | | | | | | 102 | 5.08 |
| 8 | Hispanic | | | | | | 7 | 0.35 |
| 98 | Refused | | | | | | 2 | 0.10 |
| C_P3DUP | PIN3 DUPLICATES ONLY | Num | | 8 | 258 | 1928.2868 | | |
| | 1140.00-4065.00 | | | | | | | |
| C_PARITY | MOM'S PARITY-LIVE BIRTHS+STILLBIRTHS (C) | Num | | 8 | 1999 | 0.8509255 | | |
| | 0.00-7.00 | | | | | | | |
| C_PIH | PREGNANCY INDUCED HYPERTENSION | Num | NOYES | 8 | 1856 | 0.0630388 | | |
| . | Missing | | | | | | 150 | 7.48 |
| 0 | No | | | | | | 1739 | 86.69 |
| 1 | Yes | | | | | | 117 | 5.83 |
| C_PIH2 | PIH, using prenatal visit data | Num | NOYES | 8 | 1856 | 0.2505388 | | |
| . | Missing | | | | | | 150 | 7.48 |
| 0 | No | | | | | | 1391 | 69.34 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|--------------------------------------|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| 1 | Yes | | | | | | 465 | 23.18 |
| C_PIH3 | PIH - EXCLUDING CHRONIC HYPERTENSION | Num | NOYES | 8 | 1856 | 0.184806 | | |
| . | Missing | | | | | | 150 | 7.48 |
| 0 | No | | | | | | 1513 | 75.42 |
| 1 | Yes | | | | | | 343 | 17.10 |
| C_PINDUP | RECRUITED FOR >1 PREG IN PIN (C) | Num | | 8 | 401 | 2055.9526 | | |
| | 1140.00-4065.00 | | | | | | | |
| C_POVERT | PERCENT OF 2001 POVERTY LEVEL (C) | Num | | 8 | 1754 | 395.1699 | | |
| | 11.00-923.00 | | | | | | | |
| C_PREABO | PREVIOUS INDUCED ABORTIONS (C) | Num | | 8 | 1823 | 0.2364235 | | |
| | 0.00-6.00 | | | | | | | |
| C_PRECTO | PREVIOUS ECTOPIC (C) | Num | | 8 | 1823 | 0.0219419 | | |
| | 0.00-2.00 | | | | | | | |
| C_PRELBW | PREVIOUS KNOWN LOW BIRTH WEIGHT (C) | Num | | 8 | 1823 | 0.1267142 | | |
| | 0.00-4.00 | | | | | | | |
| C_PREMIS | PREVIOUS KNOWN MISCARRIAGES (C) | Num | | 8 | 1823 | 0.4207351 | | |
| | 0.00-10.00 | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|---------------------------------------|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| C_PREPRG | PREVIOUS KNOWN PREGNANCIES (C) | Num | | 8 | 1823 | 1.4980801 | | |
| | 0.00-12.00 | | | | | | | |
| C_PREPTB | PREVIOUS KNOWN PRETERM (C) | Num | | 8 | 1823 | 0.2018651 | | |
| | 0.00-5.00 | | | | | | | |
| C_PRESTB | PREVIOUS STILLBIRTHS (C) | Num | | 8 | 1823 | 0.0394953 | | |
| | 0.00-3.00 | | | | | | | |
| C_PREWT | PRE-PREGNANCY WEIGHT IN POUNDS | Num | | 8 | 1970 | 156.04547 | | |
| | 80.00-458.00 | | | | | | | |
| C_PRE_DM | PRE-EXISTING DIABETES | Num | NOYES | 8 | 1856 | 0.0420259 | | |
| . | Missing | | | | | | 150 | 7.48 |
| 0 | No | | | | | | 1778 | 88.63 |
| 1 | Yes | | | | | | 78 | 3.89 |
| C_SBSCOR | Nugents Score | Num | | 8 | 796 | 2.2600503 | | |
| | 0.00-10.00 | | | | | | | |
| C_SGA2 | SGA ASSESSMENT USING NEW C_DELGS2 (C) | Num | NOYES | 8 | 1676 | 0.071599 | | |
| . | Missing | | | | | | 319 | 15.90 |
| .X | Special Missing 'X' | | | | | | 11 | 0.55 |
| 0 | No | | | | | | 1556 | 77.57 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------|--|--------------------|------------|-----------------|----------------------------|-----------|
| Range of Values | | Frequency Category | | | Frequency | Percent |
| 1 | Yes | | | | 120 | 5.98 |
| C_USE | USE CODE FOR INCLUSION IN STUDY | Num | USE | 8 | 2006 | 0.5792622 |
| 0 | Delivery date known, live birth, woman did Interview #1 | | | | 1775 | 88.48 |
| 1 | Interview #1 attempted, but unsuccessful | | | | 126 | 6.28 |
| 11 | Pregnancy ended, <20 weeks | | | | 8 | 0.40 |
| 12 | Pregnancy ended between 20-36 weeks | | | | 9 | 0.45 |
| 13 | Pregnancy ended, 37+ weeks | | | | 2 | 0.10 |
| 2 | Requested to be dropped from the study, no Interview # 1 | | | | 28 | 1.40 |
| 21 | Delivery information unavailable, but woman didn't drop from study | | | | 10 | 0.50 |
| 22 | Delivery information unavailable, woman stopped the study | | | | 2 | 0.10 |
| 23 | Woman stopped the study after Interview #1 | | | | 18 | 0.90 |
| 3 | Lost pregnancy, stop code | | | | 24 | 1.20 |
| 4 | No Interview #1, multiple birth | | | | 2 | 0.10 |
| 5 | Multiple birth, may have done some components | | | | 2 | 0.10 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-----------------|--|--------------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| Range of Values | | Frequency Category | | | | | | |
| C_VB1NUM | PI1 Vaginal bleeding: 0=no,1=once,2=mult | Num | VB | 8 | 1823 | 0.3746572 | | |
| . | Missing | | | | | | 183 | 9.12 |
| 0 | None | | | | | | 1303 | 64.96 |
| 1 | Bleeding once | | | | | | 357 | 17.80 |
| 2 | Multiple occurances | | | | | | 163 | 8.13 |
| C_VB2NUM | PI2 Vaginal bleeding: 0=no 1=once 2=mult | Num | VB | 8 | 1670 | 0.0706587 | | |
| . | Missing | | | | | | 336 | 16.75 |
| 0 | None | | | | | | 1572 | 78.36 |
| 1 | Bleeding once | | | | | | 78 | 3.89 |
| 2 | Multiple occurances | | | | | | 20 | 1.00 |
| C_WBC | Blood for DNA Test Avail? 0=NO/1=YES | Num | NOYES | 8 | 2006 | 0.7607178 | | |
| 0 | No | | | | | | 480 | 23.93 |
| 1 | Yes | | | | | | 1526 | 76.07 |
| C_WORK12 | Worked between phone interview 1 and 2 | Num | NOYES | 8 | 1823 | 0.7125617 | | |
| . | Missing | | | | | | 183 | 9.12 |
| 0 | No | | | | | | 524 | 26.12 |
| 1 | Yes | | | | | | 1299 | 64.76 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-----------------|--------------------------------------|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| Range of Values | | | | | | | Frequency | Percent |
| C_WORK_0 (PI1) | Worked at least 1 mo since mo <preg | Num | NOYES | 8 | 1823 | 0.7904553 | | |
| . | Missing | | | | | | 183 | 9.12 |
| 0 | No | | | | | | 382 | 19.04 |
| 1 | Yes | | | | | | 1441 | 71.83 |
| C_WORK_1 | Working at time of phone interview 1 | Num | NOYES | 8 | 1823 | 0.6812946 | | |
| . | Missing | | | | | | 183 | 9.12 |
| 0 | No | | | | | | 581 | 28.96 |
| 1 | Yes | | | | | | 1242 | 61.91 |
| C_WORK_2 | Working at time of phone interview 2 | Num | NOYES | 8 | 1670 | 0.6622754 | | |
| . | Missing | | | | | | 336 | 16.75 |
| 0 | No | | | | | | 564 | 28.12 |
| 1 | Yes | | | | | | 1106 | 55.13 |
| C_WTGAIN | WEIGHT GAIN IN KILOGRAMS | Num | | 8 | 1773 | 15.005819 | | |
| | -17.25-39.95 | | | | | | | |
| DELIVDAT | Delivery date: SAS date | Num | MMDDYY | 8 | 1942 | 15984.37 | | |
| | 02/02/01-12/11/05 | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-----------------|------------------------------------|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| Range of Values | | | | | | | Frequency | Percent |
| DELVCODE | Delivery code | Num | DELV | 4 | 1978 | 1.0738119 | | |
| . | Missing | | | | | | 28 | 1.40 |
| 1 | Delivered at study site | | | | | | 1868 | 93.12 |
| 2 | Delivered at another known site | | | | | | 74 | 3.69 |
| 3 | Delivery site unknown | | | | | | 36 | 1.79 |
| DNA | storage of specimens | Num | STOR | 6 | 2006 | 2.3015952 | | |
| 1 | Store with ID, any tests | | | | | | 1107 | 55.18 |
| 2 | Store with ID, no genetic tests | | | | | | 69 | 3.44 |
| 3 | Store without ID, any tests | | | | | | 357 | 17.80 |
| 4 | Store without ID, no genetic tests | | | | | | 68 | 3.39 |
| 5 | Dispose of specimens | | | | | | 404 | 20.14 |
| 9 | Unknown status | | | | | | 1 | 0.05 |
| DT_CARB | daily dietary est of carbohydrates | Num | | 8 | 1446 | 301.38992 | | |
| 60.75-1801.04 | | | | | | | | |
| DT_DFIB | daily dietary est of dietary fiber | Num | | 8 | 1446 | 18.925187 | | |
| 1.64-97.61 | | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|--|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| DT_FAT | daily dietary est of fat | Num | | 8 | 1446 | 81.131895 | | |
| | 2.46-409.84 | | | | | | | |
| DT_GRAMS | Total daily grams | Num | | 8 | 1446 | 2478.0356 | | |
| | 590.91-11377.55 | | | | | | | |
| DT_KCAL | daily dietary est of calories | Num | | 8 | 1446 | 2199.2944 | | |
| | 494.76-12245.74 | | | | | | | |
| DT_PROT | daily dietary est of protein | Num | | 8 | 1446 | 77.296169 | | |
| | 5.83-454.32 | | | | | | | |
| DUPWOMAN | DUPLICATE PREGNANCY - WOMAN ID | Num | | 8 | 401 | 260.4414 | | |
| | 3.00-384.00 | | | | | | | |
| EVINDEX | Expected visit index (rec'd PNC service) | Num | APNC | 8 | 1847 | 3.1678397 | | |
| | . Missing | | | | | | 159 | 7.93 |
| | 1 Inadequate | | | | | | 7 | 0.35 |
| | 2 Intermediate | | | | | | 218 | 10.87 |
| | 3 Adequate | | | | | | 1080 | 53.84 |
| | 4 Adequate Plus | | | | | | 542 | 27.02 |
| EVRATIO | Expected visit ratio (observed/expected) | Num | | 8 | 1852 | 104.03409 | | |
| | 20.00-1300.00 | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-----------------|--|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| Range of Values | | | | | | | Frequency | Percent |
| E_WT | Weights for analyzing pih/eclampsia | Num | | 8 | 1856 | 1 | | |
| 1.00-1.00 | | | | | | | | |
| GENDER | Baby's Gender | Num | GEN | 4 | 1941 | 1.4971664 | | |
| . | Missing | | | | | | 69 | 3.44 |
| 1 | Male | | | | | | 1004 | 50.05 |
| 2 | Female | | | | | | 933 | 46.51 |
| 9 | Missing | | | | | | 69 | 3.44 |
| GLY_LOAD | Glycemic load | Num | | 8 | 1446 | 151.57916 | | |
| 30.92-971.99 | | | | | | | | |
| INDEXSUM | Two factor prenatal care summary index | Num | APNC | 8 | 1847 | 3.1553871 | | |
| . | Missing | | | | | | 159 | 7.93 |
| 1 | Inadequate | | | | | | 17 | 0.85 |
| 2 | Intermediate | | | | | | 217 | 10.82 |
| 3 | Adequate | | | | | | 1075 | 53.59 |
| 4 | Adequate Plus | | | | | | 538 | 26.82 |
| LABID | BARCODE LABEL ID | Num | | 8 | 2006 | 2171.8684 | | |
| 1001.00-3402.00 | | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-------------------|--------------------------------------|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| MOINDEX4 | Month prenatal care initiation index | Num | APNC | 8 | 1847 | 3.7509475 | | |
| . | Missing | | | | | | 159 | 7.93 |
| 1 | Inadequate | | | | | | 1 | 0.05 |
| 2 | Intermediate | | | | | | 9 | 0.45 |
| 3 | Adequate | | | | | | 439 | 21.88 |
| 4 | Adequate Plus | | | | | | 1398 | 69.69 |
| OUTCOME | Pregnancy Outcome | Num | OUT | 4 | 1942 | 3.9629248 | | |
| . | Missing | | | | | | 64 | 3.19 |
| 1 | Congenital anomaly | | | | | | 9 | 0.45 |
| 2 | Respiratory or fetal distress | | | | | | 18 | 0.90 |
| 3 | Stillbirth | | | | | | 16 | 0.80 |
| 4 | Live birth | | | | | | 1895 | 94.47 |
| 5 | inducedTAB | | | | | | 1 | 0.05 |
| 6 | SpontaneousSAB | | | | | | 3 | 0.15 |
| PATID | STUDY ID | Num | | 8 | 2006 | 32880.986 | | |
| 30054.00-35459.00 | | | | | | | | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|------------------------|--|---------------|------------|-----------------|----------------------------|-----------|
| Range of Values | Frequency Category | | | | Frequency | Percent |
| PCTCARB 23.03-98.88 | percent of calories from carbohydrates | Num | | 8 | 1446 | 55.055152 |
| PCTFAT 1.64-52.98 | percent of calories from fat | Num | | 8 | 1446 | 32.895463 |
| PCTPROT 1.72-28.24 | percent of calories from protein | Num | | 8 | 1446 | 14.184246 |
| PH1_CA1 0.00-46.50 | Activity Hours/Fairly Light - Care | Num | | 8 | 1823 | 1.160203 |
| PH1_CA2 0.00-59.33 | Activity Hours/Somewhat Hard - Care | Num | | 8 | 1823 | 0.7158713 |
| PH1_CA3 0.00-35.00 | Activity Hours/Very Hard - Care | Num | | 8 | 1823 | 0.1874566 |
| PH1_CA4 0.00-70.83 | Activity Hours/Total - Care | Num | | 8 | 1823 | 2.0635308 |
| PH1_IN1 0.00-32.00 | Activity Hours/Fairly Light - Indoor | Num | | 8 | 1823 | 1.1450997 |
| PH1_IN2 0.00-39.00 | Activity Hours/Somewhat Hard - Indoor | Num | | 8 | 1823 | 0.440981 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------------|--|---------------|------------|-----------------|----------------------------|-------------------|
| Range of Values | | Frequency | Category | | | Frequency Percent |
| PH1_IN3 0.00-50.00 | Activity Hours/Very Hard - Indoor | Num | | 8 | 1823 | 0.1225727 |
| PH1_IN4 0.00-77.00 | Activity Hours/Total - Indoor | Num | | 8 | 1823 | 1.7086533 |
| PH1_OT1 0.00-15.00 | Activity Hours/Fairly Light - Outdoor | Num | | 8 | 1823 | 0.2156153 |
| PH1_OT2 0.00-18.00 | Activity Hours/Somewhat Hard - Outdoor | Num | | 8 | 1823 | 0.1059334 |
| PH1_OT3 0.00-6.00 | Activity Hours/Very Hard - Outdoor | Num | | 8 | 1823 | 0.0199305 |
| PH1_OT4 0.00-18.00 | Activity Hours/Total - Outdoor | Num | | 8 | 1823 | 0.3414792 |
| PH1_RC1 0.00-35.00 | Activity Hours/Fairly Light - Recreation | Num | | 8 | 1823 | 0.7572682 |
| PH1_RC2 0.00-35.00 | Activity Hours/Somewhat Hard - Recreatio | Num | | 8 | 1823 | 0.8482904 |
| PH1_RC3 0.00-15.00 | Activity Hours/Very Hard - Recreational | Num | | 8 | 1823 | 0.197431 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|------------------------|--|---------------|------------|-----------------|----------------------------|-----------|
| Range of Values | Frequency Category | | | | Frequency | Percent |
| PH1_RC4 0.00-36.00 | Activity Hours/Total - Recreational | Num | | 8 | 1823 | 1.8029896 |
| PH1_TL1 0.00-48.35 | Activity Hours/Fairly Light Total | Num | | 8 | 1823 | 4.015213 |
| PH1_TL2 0.00-69.08 | Activity Hours/Somewhat Hard Total | Num | | 8 | 1823 | 2.6655193 |
| PH1_TL3 0.00-134.40 | Activity Hours/Very Hard Total | Num | | 8 | 1823 | 0.6790272 |
| PH1_TL4 0.00-134.60 | Activity Hours/Total | Num | | 8 | 1823 | 7.3597596 |
| PH1_TN1 0.00-9.33 | Activity Hours/Fairly Light - Transporta | Num | | 8 | 1823 | 0.122783 |
| PH1_TN2 0.00-12.50 | Activity Hours/Somewhat Hard - Transport | Num | | 8 | 1823 | 0.0913513 |
| PH1_TN3 0.00-8.33 | Activity Hours/Very Hard - Transportatio | Num | | 8 | 1823 | 0.0240263 |
| PH1_TN4 0.00-12.50 | Activity Hours/Total - Transportation | Num | | 8 | 1823 | 0.2381605 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|------------------------|--------------------------------------|---------------|------------|-----------------|----------------------------|-----------|
| Range of Values | Frequency Category | | | | Frequency | Percent |
| PH1_WK1 0.00-48.00 | Activity Hours/Fairly Light - Work | Num | | 8 | 1823 | 0.6142439 |
| PH1_WK2 0.00-52.50 | Activity Hours/Somewhat Hard - Work | Num | | 8 | 1823 | 0.463092 |
| PH1_WK3 0.00-134.40 | Activity Hours/Very Hard - Work | Num | | 8 | 1823 | 0.1276102 |
| PH1_WK4 0.00-134.60 | Activity Hours/Total - Work | Num | | 8 | 1823 | 1.2049461 |
| PH2_CA1 0.00-49.83 | Activity Hours/Fairly Light - Care | Num | | 8 | 1670 | 0.9226846 |
| PH2_CA2 0.00-24.17 | Activity Hours/Somewhat Hard - Care | Num | | 8 | 1670 | 0.5676946 |
| PH2_CA3 0.00-25.25 | Activity Hours/Very Hard - Care | Num | | 8 | 1670 | 0.1110778 |
| PH2_CA4 0.00-49.83 | Activity Hours/Total - Care | Num | | 8 | 1670 | 1.6014571 |
| PH2_IN1 0.00-39.50 | Activity Hours/Fairly Light - Indoor | Num | | 8 | 1670 | 1.0182535 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------------|--|---------------|------------|-----------------|----------------------------|-----------|
| Range of Values | Frequency Category | | | | Frequency | Percent |
| PH2_IN2 0.00-29.00 | Activity Hours/Somewhat Hard - Indoor | Num | | 8 | 1670 | 0.5150699 |
| PH2_IN3 0.00-12.08 | Activity Hours/Very Hard - Indoor | Num | | 8 | 1670 | 0.0802295 |
| PH2_IN4 0.00-39.50 | Activity Hours/Total - Indoor | Num | | 8 | 1670 | 1.6135529 |
| PH2_OT1 0.00-9.00 | Activity Hours/Fairly Light - Outdoor | Num | | 8 | 1670 | 0.1411277 |
| PH2_OT2 0.00-12.00 | Activity Hours/Somewhat Hard - Outdoor | Num | | 8 | 1670 | 0.106976 |
| PH2_OT3 0.00-19.00 | Activity Hours/Very Hard - Outdoor | Num | | 8 | 1670 | 0.0310878 |
| PH2_OT4 0.00-19.00 | Activity Hours/Total - Outdoor | Num | | 8 | 1670 | 0.2791916 |
| PH2_RC1 0.00-40.00 | Activity Hours/Fairly Light - Recreation | Num | | 8 | 1670 | 0.7301697 |
| PH2_RC2 0.00-20.00 | Activity Hours/Somewhat Hard - Recreatio | Num | | 8 | 1670 | 0.7319261 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------------|--|---------------|------------|-----------------|----------------------------|-------------------|
| Range of Values | | Frequency | Category | | | Frequency Percent |
| PH2_RC3 0.00-15.50 | Activity Hours/Very Hard - Recreational | Num | | 8 | 1670 | 0.1591816 |
| PH2_RC4 0.00-40.00 | Activity Hours/Total - Recreational | Num | | 8 | 1670 | 1.6212774 |
| PH2_TL1 0.00-50.08 | Activity Hours/Fairly Light Total | Num | | 8 | 1670 | 3.4156886 |
| PH2_TL2 0.00-50.00 | Activity Hours/Somewhat Hard Total | Num | | 8 | 1670 | 2.3452395 |
| PH2_TL3 0.00-35.33 | Activity Hours/Very Hard Total | Num | | 8 | 1670 | 0.4604491 |
| PH2_TL4 0.00-85.33 | Activity Hours/Total | Num | | 8 | 1670 | 6.2213772 |
| PH2_TN1 0.00-11.67 | Activity Hours/Fairly Light - Transporta | Num | | 8 | 1670 | 0.1181238 |
| PH2_TN2 0.00-12.00 | Activity Hours/Somewhat Hard - Transport | Num | | 8 | 1670 | 0.0937425 |
| PH2_TN3 0.00-9.00 | Activity Hours/Very Hard - Transportatio | Num | | 8 | 1670 | 0.0235629 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------------|---------------------------------------|---------------|------------|-----------------|----------------------------|-----------|
| Range of Values | Frequency Category | | | | Frequency | Percent |
| PH2_TN4 0.00-12.00 | Activity Hours/Total - Transportation | Num | | 8 | 1670 | 0.2354291 |
| PH2_WK1 0.00-45.83 | Activity Hours/Fairly Light - Work | Num | | 8 | 1670 | 0.4853293 |
| PH2_WK2 0.00-50.00 | Activity Hours/Somewhat Hard - Work | Num | | 8 | 1670 | 0.3298303 |
| PH2_WK3 0.00-35.33 | Activity Hours/Very Hard - Work | Num | | 8 | 1670 | 0.0553094 |
| PH2_WK4 0.00-85.33 | Activity Hours/Total - Work | Num | | 8 | 1670 | 0.8704691 |
| PH3_CA1 0.00-54.00 | Activity Hours/Fairly Light - Care | Num | | 8 | 673 | 1.2735017 |
| PH3_CA2 0.00-45.50 | Activity Hours/Somewhat Hard - Care | Num | | 8 | 673 | 0.8826152 |
| PH3_CA3 0.00-14.00 | Activity Hours/Very Hard - Care | Num | | 8 | 673 | 0.063794 |
| PH3_CA4 0.00-54.00 | Activity Hours/Total - Care | Num | | 8 | 673 | 2.2199108 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------------|--|---------------|------------|-----------------|----------------------------|-----------|
| Range of Values | Frequency Category | | | | Frequency | Percent |
| PH3_IN1 0.00-28.50 | Activity Hours/Fairly Light - Indoor | Num | | 8 | 673 | 0.9933383 |
| PH3_IN2 0.00-16.00 | Activity Hours/Somewhat Hard - Indoor | Num | | 8 | 673 | 0.4296434 |
| PH3_IN3 0.00-16.00 | Activity Hours/Very Hard - Indoor | Num | | 8 | 673 | 0.1087172 |
| PH3_IN4 0.00-28.50 | Activity Hours/Total - Indoor | Num | | 8 | 673 | 1.5316989 |
| PH3_OT1 0.00-10.00 | Activity Hours/Fairly Light - Outdoor | Num | | 8 | 673 | 0.1044577 |
| PH3_OT2 0.00-7.50 | Activity Hours/Somewhat Hard - Outdoor | Num | | 8 | 673 | 0.0950966 |
| PH3_OT3 0.00-6.00 | Activity Hours/Very Hard - Outdoor | Num | | 8 | 673 | 0.041679 |
| PH3_OT4 0.00-10.00 | Activity Hours/Total - Outdoor | Num | | 8 | 673 | 0.2412333 |
| PH3_RC1 0.00-40.00 | Activity Hours/Fairly Light - Recreation | Num | | 8 | 673 | 0.8978207 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------------|--|---------------|------------|-----------------|----------------------------|-----------|
| Range of Values | Frequency Category | | | | Frequency | Percent |
| PH3_RC2 0.00-26.00 | Activity Hours/Somewhat Hard - Recreatio | Num | | 8 | 673 | 1.1067855 |
| PH3_RC3 0.00-12.00 | Activity Hours/Very Hard - Recreational | Num | | 8 | 673 | 0.3649331 |
| PH3_RC4 0.00-42.00 | Activity Hours/Total - Recreational | Num | | 8 | 673 | 2.3695394 |
| PH3_TL1 0.00-59.58 | Activity Hours/Fairly Light Total | Num | | 8 | 673 | 3.8733284 |
| PH3_TL2 0.00-46.50 | Activity Hours/Somewhat Hard Total | Num | | 8 | 673 | 2.813373 |
| PH3_TL3 0.00-16.00 | Activity Hours/Very Hard Total | Num | | 8 | 673 | 0.5922486 |
| PH3_TL4 0.00-59.58 | Activity Hours/Total | Num | | 8 | 673 | 7.27895 |
| PH3_TN1 0.00-3.33 | Activity Hours/Fairly Light - Transporta | Num | | 8 | 673 | 0.0866518 |
| PH3_TN2 0.00-3.00 | Activity Hours/Somewhat Hard - Transport | Num | | 8 | 673 | 0.0446261 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-------------------------------|--|---------------|------------|-----------------|----------------------------|------------|
| Range of Values | Frequency Category | | | | Frequency | Percent |
| PH3_TN3 0.00-1.67 | Activity Hours/Very Hard - Transportatio | Num | | 8 | 673 | 0.0071818 |
| PH3_TN4 0.00-3.33 | Activity Hours/Total - Transportation | Num | | 8 | 673 | 0.1384596 |
| PH3_WK1 0.00-43.25 | Activity Hours/Fairly Light - Work | Num | | 8 | 673 | 0.5175582 |
| PH3_WK2 0.00-20.00 | Activity Hours/Somewhat Hard - Work | Num | | 8 | 673 | 0.2546062 |
| PH3_WK3 0.00-1.67 | Activity Hours/Very Hard - Work | Num | | 8 | 673 | 0.0059435 |
| PH3_WK4 0.00-43.25 | Activity Hours/Total - Work | Num | | 8 | 673 | 0.778108 |
| PI1_DATE 01/31/01-07/20/05 | SAS Date of 1st Phone Interview | Num | MMDDYY | 8 | 1823 | 15845.747 |
| PI2DWORK . | Working at Interview 2, 1=yes,0=no | Num | NOYES | 8 | 1670 | 0.6622754 |
| | Missing | | | | | 336 16.75 |
| | 0 No | | | | | 564 28.12 |
| | 1 Yes | | | | | 1106 55.13 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|-------------------|--|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| PI2MOVED | MOVED:0=NO 1=BTW P11-PI2 2=DURING P11 MO | Num | MOVE | 8 | 1666 | 0.1230492 | | |
| . | Missing | | | | | | 340 | 16.95 |
| 0 | No move | | | | | | 1516 | 75.57 |
| 1 | Between P11-PI2 | | | | | | 95 | 4.74 |
| 2 | During P11 month | | | | | | 55 | 2.74 |
| PI2MOVES | NUMBER MOVES BTW START OF PREG AND PI2 | Num | | 8 | 1671 | 0.2100539 | | |
| 0.00-4.00 | | | | | | | | |
| PI2_DATE | SAS Date of 2nd Phone Interview | Num | MMDDYY | 8 | 1670 | 15904.586 | | |
| 03/19/01-09/30/05 | | | | | | | | |
| PLACENTA | Placenta Collected at Delivery | Num | PLAC | 8 | 1586 | 1.6759142 | | |
| . | Missing | | | | | | 420 | 20.94 |
| 0 | Delivery not at site or unknown | | | | | | 162 | 8.08 |
| 1 | Received for processing | | | | | | 1274 | 63.51 |
| 2 | Discarded as requested | | | | | | 100 | 4.99 |
| 3 | Lost by Labor and Delivery | | | | | | 39 | 1.94 |
| 97 | Delivery prior to start-up collection | | | | | | 11 | 0.55 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------------|----------------------------|---------------|------------|-----------------|----------------------------|-------------------|
| Range of Values | | Frequency | Category | | | Frequency Percent |
| PM1_CA 0.00-230.60 | MET Hours - Care | Num | | 8 | 1823 | 6.9458502 |
| PM1_IN 0.00-365.10 | MET Hours - Indoor | Num | | 8 | 1823 | 5.1918765 |
| PM1_OT 0.00-78.00 | MET Hours - Outdoor | Num | | 8 | 1823 | 1.4635509 |
| PM1_RC 0.00-104.25 | MET Hours - Recreational | Num | | 8 | 1823 | 7.7415698 |
| PM1_ST 0.00-23.33 | MET Hours - Stairs | Num | | 8 | 1823 | 1.0520022 |
| PM1_TL 0.00-773.46 | MET Hours - Total | Num | | 8 | 1823 | 27.031798 |
| PM1_TN 0.00-50.00 | MET Hours - Transportation | Num | | 8 | 1823 | 0.9526422 |
| PM1_WK 0.00-773.46 | MET Hours - Work | Num | | 8 | 1823 | 4.7363083 |
| PM2_CA 0.00-150.50 | MET Hours - Care | Num | | 8 | 1670 | 5.2696447 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------------|----------------------------|---------------|------------|-----------------|----------------------------|-------------------|
| Range of Values | | Frequency | Category | | | Frequency Percent |
| PM2_IN 0.00-221.05 | MET Hours - Indoor | Num | | 8 | 1670 | 4.7518573 |
| PM2_OT 0.00-83.80 | MET Hours - Outdoor | Num | | 8 | 1670 | 1.1613772 |
| PM2_RC 0.00-92.00 | MET Hours - Recreational | Num | | 8 | 1670 | 6.7781806 |
| PM2_ST 0.00-10.27 | MET Hours - Stairs | Num | | 8 | 1670 | 1.0074451 |
| PM2_TL 0.00-311.33 | MET Hours - Total | Num | | 8 | 1670 | 22.012744 |
| PM2_TN 0.00-48.00 | MET Hours - Transportation | Num | | 8 | 1670 | 0.9417166 |
| PM2_WK 0.00-311.33 | MET Hours - Work | Num | | 8 | 1670 | 3.1099671 |
| PM3_CA 0.00-156.45 | MET Hours - Care | Num | | 8 | 673 | 7.7278306 |
| PM3_IN 0.00-96.00 | MET Hours - Indoor | Num | | 8 | 673 | 4.731315 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|-------------------------------|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| PM3_OT | MET Hours - Outdoor | Num | | 8 | 673 | 1.1003814 | | |
| | 0.00-43.00 | | | | | | | |
| PM3_RC | MET Hours - Recreational | Num | | 8 | 673 | 9.9474245 | | |
| | 0.00-256.00 | | | | | | | |
| PM3_ST | MET Hours - Stairs | Num | | 8 | 673 | 1.4588905 | | |
| | 0.00-16.67 | | | | | | | |
| PM3_TL | MET Hours - Total | Num | | 8 | 673 | 27.172494 | | |
| | 0.00-278.93 | | | | | | | |
| PM3_TN | MET Hours - Transportation | Num | | 8 | 673 | 0.5538385 | | |
| | 0.00-13.33 | | | | | | | |
| PM3_WK | MET Hours - Work | Num | | 8 | 673 | 3.1117038 | | |
| | 0.00-160.00 | | | | | | | |
| POSTID | PINPOST ID | Num | | 8 | 726 | 5373.2631 | | |
| | 5000.00-5752.00 | | | | | | | |
| PTBCONF | OB's confidence in assessment | Num | | 8 | 274 | 1.3138686 | | |
| | 1.00-2.00 | | | | | | | |
| PTBWHO | OB who made assessment | Num | WHO | 8 | 278 | 1 | 1728 | 86.14 |
| | . Missing | | | | | | | |
| | 1 Thorp | | | | | 278 | 13.86 | |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean | Frequency | Percent |
|---------------|---|---------------|------------|-----------------|----------------------------|-----------|-----------|---------|
| RECRUITD | Date Recruited: SAS date 01/09/01-07/01/05 | Num | MMDDYY | 8 | 2006 | 15820.209 | | |
| STOPCODE | Womens Study Stop Code . Missing | Num | STOP | 5 | 208 | 3.8509615 | 1798 | 89.63 |
| | 1 Lost pregnancy per interview staff | | | | | | 9 | 0.45 |
| | 2 Lost pregnancy per clinical staff | | | | | | 24 | 1.20 |
| | 3 Requested to leave study per interview staff | | | | | | 48 | 2.39 |
| | 4 Requested to leave study per clinical staff | | | | | | 39 | 1.94 |
| | 5 Did not do first interview | | | | | | 84 | 4.19 |
| | 6 Multiple births | | | | | | 4 | 0.20 |
| STRTPRG2 | Best LMP for Study: SAS date 08/29/00-03/17/05 | Num | MMDDYY | 8 | 2006 | 15714.082 | | |
| WHYPTB2 | Preterm Type 1=PTL,2=PPROM,3=Other . Missing | Num | WHY | 8 | 1936 | 0.552686 | 70 | 3.49 |
| | 0 Term | | | | | | 1658 | 82.65 |
| | 1 Preterm labor | | | | | | 86 | 4.29 |

DATA SET: pin3_studyvar LABEL: Copy of \pin3\data\sas\study\studyvar.x61
 Number of Observations: 2006
 Number of Variables: 216
 Organization of file: 1 Obs per pregnancy (PATID)

DATE CREATED: 01FEB10:14:48:00

| Variable Name | Variable Label | Variable Type | SAS Format | Variable Length | Non-Missing Numeric Values | Mean |
|-----------------|--|--------------------|------------|-----------------|----------------------------|-----------|
| Range of Values | | Frequency Category | | | Frequency | Percent |
| 2 | Preterm PROM | | | | 57 | 2.84 |
| 3 | Medically indicated | | | | 130 | 6.48 |
| 96 | Delivery date preterm - birth at other site - determination not done | | | | 5 | 0.25 |
| <hr/> | | | | | | |
| WTSOURCE | PRE_WT: 1=SCREENER 2=MED ABS 3=IMPUTED | Num | WT | 8 | 1970 | 1.1695431 |
| . | Missing | | | | 36 | 1.79 |
| 1 | Screeener | | | | 1747 | 87.09 |
| 2 | Medical abstract | | | | 112 | 5.58 |
| 3 | Imputed | | | | 111 | 5.53 |